

Journal of Pharmaceutical Research International

33(61A): 433-440, 2021; Article no.JPRI .77891

ISSN: 2456-9119

(Past name: British Journal of Pharmaceutical Research, Past ISSN: 2231-2919,

NLM ID: 101631759)

Cytotoxic Effect of Red Sandal Mediated Silver Nanoparticles Mouthwash Using Brine Shrimp Lethality Assay: An *In-vitro* Study

B. Amrithaa ^a, S. Balaji Ganesh ^{b*} and S. Rajesh Kumar ^{co}

^a Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Sciences (SIMATS), Saveetha University, Chennai-600077, Tamil Nadu, India.
^b Department of Periodontics, Saveetha Dental College and Hospitals Saveetha Institute of Medical and Technical Sciences (SIMATS), Saveetha University, Chennai-600077, Tamil Nadu, India.
^c Department of Pharmacology, Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Sciences (SIMATS), Saveetha University, Chennai-600077, Tamil Nadu, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/JPRI/2021/v33i61A35705

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here:

https://www.sdiarticle5.com/review-history/77891

Original Research Article

Received 21 October 2021 Accepted 27 December 2021 Published 28 December 2021

ABSTRACT

Background: Silver Nanoparticles (AgNP) plays a crucial role in nanoscience, nanotechnology and nanomedicine. AgNP has antibacterial, antifungal, antiviral, anti-inflammatory, anti-antigenic, anticancer and cytotoxic properties. Cytotoxic effects of mouthwashes on the gingival tissue have always been a priority. Pterocarpus santalinus, with the common name of red sandalwood. The aim of the study is to evaluate the cytotoxic effect of red sandal mediated silver nanoparticles mouthwash using brine shrimp lethality assay.

Materials and Methods: The mouthwash was prepared using red sandal mediated silver nanoparticles, ethanol, distilled water, sucrose, sodium benzoate, clove oil, sodium dodecyl phosphate with 0.1% in concentration. The methodology includes green synthesis of Red sanders mediated Silver Nanoparticles synthesis followed by tests for Cytotoxic effect using mouthwash.

Results: Red sanders mediated silver nanoparticles have high potent cytotoxic potential, it has

[■] Senior Lecturer;

^ω Associate Professor;

^{*}Corresponding author: E-mail: balajiganeshs.sdc@saveetha.com;

been proved with the help of brine shrimps. LD50 concentration was obtained to be 80µL, with half the population of nauplii in the respective well surviving post incubation.

Conclusion: From the observed result, it has been concluded that Pterocarpus santalinus/red sandal mediated silver nanoparticles mouthwash has a considerably moderate cytotoxic effect. It is a rich source of various potential phytochemicals and is a simple, rapid, stable and cost effective method for nano based medical applications.

Keywords: Green synthesis; cytotoxic effect; mouthwash; Pterocarpus santalinus; silver nanoparticles.

1. INTRODUCTION

Various medicinal plants have been used for hundreds of years and are found to be effective in the treatment of many diseases [1]. Natural products of plants possess several biological activities includina cytotoxic effects. cytotoxic level of medicinal plants must even be evaluated against host cells. The safety of plants as potential therapeutically agents must be ascertained and the therefore side effects should be acceptable to the host [2]. Bioactive compounds with no or less toxic effect to the host are good for formulation of medicine. Many researches are done to understand the cytotoxic effect constituents of medicinal plants for the treatment of the disease [3].

Nanosized inorganic particles, of either simple or composite nature, display physical and chemical properties and represent an increasingly important material development of nanodevices which may be utilised in numerous physical. biological. biomedical. and pharmaceutical applications Silver [4]. Nanoparticles (AgNP) plays a crucial role in nanoscience. nanotechnology and nanomedicine. **AgNP** has antibacterial. antiviral, anti-inflammatory, antifungal, antigenic, anticancer and cytotoxic properties [5]. AgNP has engrossing properties and its low cost and simply available in natural sources. AgNP has an impractical potential in comparison to gold nanoparticles [6]. AgNPs are increasingly utilized in various fields, including medical, food, health care, cosmetics, and industrial purposes, due to their unique physical and chemical properties [7]. Silver nanoparticles may be a popular additive in many health products as listed above due to its unique ability to fight infectious diseases, slow the growth of bacteria, mold and germs [8]. Biologically prepared AgNPs show high yield, solubility, and high stability [9]. Several synthetic methods for AgNPs, biological methods seem to be simple, rapid, non-toxic, dependable, and green approaches which will produce well-defined size and morphology under

optimized conditions for translational research [10].

Cytotoxic effects of mouthwashes on the gingival tissue have always been a priority. Chlorhexidine gluconate mouthwash had no cytotoxic effects on human gingival fibroblasts. Mouthwashes are composed of strontium chloride, potassium nitrate, sodium citrate and sodium fluoride as desensitizina agents [11]. Pterocarpus santalinus, with the common name of red sandalwood. The wood is traditionally considered not aromatic. A wide array of biological activities and potential health benefits of P. santalinus have been reported including antioxidative, antidiabetic, antimicrobial, anticancer, inflammatory cytotoxic properties as well as protective effects on the liver, gastric mucosa and nervous systems [12]. All these protective effects were attributed to bioactive compounds present in P. santalinus. The effect of this herb against most of the oral pathogens is essentially unexplored [13]. Our team has extensive knowledge and research experience that has translated into high quality publications [14-26],[27-31],[32],[33]. The aim of the study is to evaluate the cytotoxic effect of red sandal mediated silver nanoparticles mouthwash using brine shrimp lethality assay.

2. MATERIALS AND METHODS

2.1 Preparation of Silver Nanoparticles

The dried powdered plant material 0.5gm of red sandal was diluted with 100ml of distilled water, and heated for 9 mins at 60-80°C under vacuum. Then it was filtered using Whatman's filter paper and plant extract was prepared. 80ml of distilled water was taken in a conical flask and 20ml of plant extract was added to it. 1mM of Silver particles were added and then kept in a shaker. Preliminary reading was taken every 2 hours for about 72hrs. After 72hrs fill the AgNP plant extract into the 6 centrifuge tube, 12ml each and centrifuged for about 10 mins.

2.2 Preparation of Mouthwash

The mouthwash was prepared using red sandal mediated silver nanoparticles, ethanol, distilled water, sucrose, sodium benzoate, clove oil, sodium dodecyl phosphate with 0.1% in concentration. Silver nanoparticles are the main constituent, ethanol acts as a solvent to solubilise the ingredients. Sodium benzoate acts as a preservative and clove oil acts as a flavouring agent.

2.3 Cytotoxic Effect

Brine shrimp eggs were obtained from a new aqua laboratory. The seawater was put in a small plastic container(hatching chamber) with a partition for dark (covered) and light areas. Shrimp eggs were added into the dark side of the chamber while the lamp above the other side (light) will attract the hatched shrimp. After 2 days, when the shrimp were ready, 5 different nanoparticles solution was added to each test

tube, 10 shrimps were introduced in each tube. After 24 hrs, the number of surviving shrimps were counted and recorded. LC50 of less than 100 ppm was considered as potent.

3. RESULTS

The test for cytotoxic properties was assessed using brine shrimps. Descriptive statistics were used in this study. Ten nauplii were placed in each of six wells with one standard and the remaining with nanoparticle concentrations 5 µL, 10 μ L, 20 μ L, 40 μ L and 80 μ L. LD50 concentration was obtained to be 80µL, with half the population of nauplii in the respective well surviving post incubation. 10 numbers of nauplii are alive on day1 in different concentrations. On day 2, 9 nauplii are alive on 5 µL concentration, 8 nauplii are alive on 10 uL concentration. 9 nauplii are alive on 20 µL concentration, 8 nauplii are alive on 40 uL concentration and 7 nauplii are alive on 80 µL concentration. All nauplii are alive in control value (Table 1, Fig. 1).

Table 1. depicts the cytotoxic activity of red sandal silver nanoparticles mouthwash

Concentration(µL)	Day 1	Day 2	
5μL	10	9	
10μL	10	9	
20μL	10	9	
40µL	10	8	
80µL	10	8	
Control	10	10	




Fig. 1. Graph showing cytotoxic effect of silver nanoparticles based mouthwash of red sandal. Blue represents day 1 and orange represents day 2. X axis denotes number of nauplii alive and Y axis denotes concentration. All nauplii are alive on day 1. On day 2, 9 nauplii are alive in 5μ L, 8 nauplii are alive in 10μ L, 9 nauplii are alive in 20μ L, 8 nauplii are alive in 40μ L and 7 nauplii are alive in 80μ L. In comparison between day 1 and day 2, as concentration increases, the number nauplii decreases

4. DISCUSSION

Medicinal plants have unlimited capacity to synthesize bioactive compounds that are effective and have fewer side effects compared to synthetic drugs. Bioactive compounds from plants have shown over the years to have various biological activities [34]. Scientists have developed a greater interest in using these compounds in formulation of new and novel drugs, because of their biological activities and reliability [35]. P.santalinus could be used to treat complications medical such hemorrhage, dysentery, eye diseases, and mental aberrations, and to act as an aphrodisiac and diaphoretic.

P.santalinus is highly valued for its heavy, dark claret-red sanders, which yields 16% of the red coloring matter santalin, used as a coloring agent in pharmaceutical preparations and foodstuff [36]. The presence of various types of plant secondary metabolites such as anthocyanins, flavonoids, glycerides, isoflavone glucoside, phenols, pterocarpol, pterocarptriol, pterocarpodiolones with β -eudeslol, saponins, steroids tannins and triterpenoids in the P. santalinus L. has been reported [37].

Cytotoxicity of dental materials and oral hygiene products has always been a concern for dental clinicians. These products should biocompatible; otherwise, they would cause inflammatory reactions. Nanotechnology favorably changed the properties of many dental materials. Mouthwashes are composed of strontium chloride, potassium nitrate, sodium citrate and sodium fluoride as desensitizing agents. Clinical and human intervention studies are very limited; therefore the biological and physiological effects of the isolated compounds of the heartwood are also worth investigation. The key advances in the tissue culture-based biotechnology of economically important red sandals [38]. The development of treatment methods has evoked great expectations in the future. This plant has been exploited to treat a variety of ailments, with antimicrobial and antioxidant properties, as well as cytotoxic effects against some human cancer cell lines. Invitro cytotoxicity effects of leaf, stem and bark of Pterocarpus santalinus Linn.F. was evaluated in a study where they found that P.santalinus showed a cytotoxic effect against cancer cell lines [39]. The limitation of this study is that we did not do clinical trials in patients.

5. CONCLUSION

From the observed result, it has been concluded that Pterocarpus santalinus/red sandal mediated silver nanoparticles mouthwash has a considerably moderate cytotoxic effect [40-53]. It is a rich source of various potential phytochemicals and is a simple, rapid, stable and cost effective method for nano based medical applications.

DISCLAIMER

The products used for this research are commonly and predominantly use products in our area of research and country. There is absolutely no conflict of interest between the authors and producers of the products because we do not intend to use these products as an avenue for any litigation but for the advancement of knowledge. Also, the research was not funded by the producing company rather it was funded by personal efforts of the authors.

CONSENT

It is not applicable.

ETHICAL APPROVAL

It is not applicable.

ACKNOWLEDGEMENT

I would like to thank the Department of periodontics, Saveetha Dental College, Chennai for their valuable inputs in this study.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

- Das K, Gowthami V, Dang R. Comparative proximate analysis, phytochemical screening and antioxidant study of leaf and root extracts of Decalepis hamiltonii Wight & Arn [Internet]. Annals of Phytomedicine: An International Journal. 2017;6. Available:http://dx.doi.org/10.21276/ap.201
 - 7.6.2.12 Gurunathan S, Park JH, Han JW, Kim J-H.
- Gurunathan S, Park JH, Han JW, Kim J-H. Comparative assessment of the apoptotic potential of silver nanoparticles synthesized by Bacillus tequilensis and

- Calocybe indica in MDA-MB-231 human breast cancer cells: targeting p53 for anticancer therapy. Int J Nanomedicine [Internet]. 2015;10:4203–22. Available:http://dx.doi.org/10.2147/IJN.S83
- Breuer U. Plastics from Bacteria Natural Functions and Applications. By Guo-Qiang Chen (Editor), Alexander Steinbüchel (Series Editor) [Internet]. Biotechnology Journal. 2010;5:1351–1351.
 Available:http://dx.doi.org/10.1002/biot.201

953

- Paul RP, Roy A, Maajida AM, Shanmugam R. Antibacterial Activity of White Pepper Oleoresin Mediated Silver Nanoparticles against Oral Pathogens [Internet]. Journal of Evolution of Medical and Dental Sciences. 2020;9:2352–5. Available:http://dx.doi.org/10.14260/jemds/ 2020/510
- Lal HM. Polymer Nanocomposites Based on Silver Nanoparticles: Synthesis, Characterization and Applications [Internet]. Springer Nature. Available:https://books.google.com/books/ about/Polymer_Nanocomposites_Based_o n_Silver_N.html?hl=&id=G00dEAAAQBAJ
- Chernousova S, Epple M. Silver as Antibacterial Agent: Ion, Nanoparticle, and Metal [Internet]. Angewandte Chemie International Edition. 2013;52:1636–53. Available:http://dx.doi.org/10.1002/anie.20 1205923
- 7. Wang H, Li L-L. In Vivo Self-Assembly Nanotechnology for Biomedical Applications [Internet]. Springer. 2018:201. Available:https://play.google.com/store/books/details?id=14pWDwAAQBAJ
- 8. Lofrano G, Libralato G, Brown J. Nanotechnologies for Environmental Remediation: Applications and Implications [Internet]. Springer; 2017:325.

 Available:https://play.google.com/store/books/details?id=eMZCDgAAQBAJ
- Li L-S, Hu J, Yang W, Paul Alivisatos A. Band Gap Variation of Size- and Shape-Controlled Colloidal CdSe Quantum Rods [Internet]. Nano Letters. 2001;1:349–51. Available:http://dx.doi.org/10.1021/nl01555 9r
- Karthik L, Vishnu Kirthi A, Ranjan S, Mohana Srinivasan V. Biological Synthesis of Nanoparticles and Their Applications [Internet]. CRC Press. 2019:284. Available:https://play.google.com/store/books/details?id=QtzBDwAAQBAJ

- 11. Coelho AS. Laranio M. Goncalves AC. Paula A, Paulo S, Abrantes AM, et al. Cytotoxic effects of a chlorhexidine mouthwash of enzymatic and an mouthwash on human gingival fibroblasts. Odontology [Internet]. 2020;108(2): 260-70. Available:http://dx.doi.org/10.1007/s10266-
 - Available:http://dx.doi.org/10.1007/s10266-019-00465-z
- Manjunatha BK. Hepatoprotective activity of Pterocarpus santalinus L.f.,an endangered medicinal plant [Internet]. Vol. 38, Indian Journal of Pharmacology. 2006:25.
 Available: http://dx.doi.org/10.4103/0253-
 - Available: http://dx.doi.org/10.4103/0253-7613.19848
- Bindhu MR, Umadevi M. Antibacterial activities of green synthesized gold nanoparticles [Internet]. Vol. 120, Materials Letters. 2014:122–5.
 Available:http://dx.doi.org/10.1016/j.matlet. 2014.01.108
- Ramesh A, Varghese S, Jayakumar ND, Malaiappan S. Comparative estimation of sulfiredoxin levels between chronic periodontitis and healthy patients - A casecontrol study. J Periodontol [Internet]. 2018;89(10):1241–8. Available:http://dx.doi.org/10.1002/JPER.1 7-0445
- Paramasivam A, Priyadharsini JV, Raghunandhakumar S, Elumalai P. A novel COVID-19 and its effects on cardiovascular disease. Hypertens Res [Internet]. 2020;43(7):729–30. Available:http://dx.doi.org/10.1038/s41440-020-0461-x
- SG, TG, KV, Faleh AA, Sukumaran A, PNS. Development of 3D scaffolds using nanochitosan/silk-fibroin/hyaluronic acid biomaterials for tissue engineering applications. Int J Biol Macromol [Internet]. 2018;120(Pt A):876–85. Available:http://dx.doi.org/10.1016/j.ijbioma c.2018.08.149
- Del Fabbro M, Karanxha L, Panda S, Bucchi C, Nadathur Doraiswamy J, Sankari M, et al. Autologous platelet concentrates for treating periodontal infrabony defects. Cochrane Database Syst Rev [Internet]. 2018;11:CD011423. Available:
 - http://dx.doi.org/10.1002/14651858.CD011 423.pub2
- Paramasivam A, Vijayashree Priyadharsini
 J. MitomiRs: new emerging microRNAs in mitochondrial dysfunction and

- cardiovascular disease. Hypertens Res [Internet]. 2020;43(8):851–3. Available:http://dx.doi.org/10.1038/s41440-
- 020-0423-3
- Jayaseelan VP, Arumugam P. Dissecting the theranostic potential of exosomes in autoimmune disorders. Cell Mol Immunol [Internet]. 2019;16(12):935–6.
 Available:http://dx.doi.org/10.1038/s41423-019-0310-5
- Vellappally S, Al Kheraif AA, Divakar DD, Basavarajappa S, Anil S, Fouad H. Tooth implant prosthesis using ultra low power and low cost crystalline carbon bio-tooth sensor with hybridized data acquisition algorithm. Comput Commun [Internet]. 2019;148:176–84.
 Available:https://www.sciencedirect.com/sc ience/article/pii/S0140366419307017
- Vellappally S, Al Kheraif AA, Anil S, Assery MK, Kumar KA, Divakar DD. Analyzing Relationship between Patient and Doctor in Public Dental Health using Particle Memetic Multivariable Logistic Regression Analysis Approach (MLRA2). J Med Syst [Internet]. 2018;42(10):183.
 Available:http://dx.doi.org/10.1007/s10916-018-1037-z
- Varghese SS, Ramesh A, Veeraiyan DN. Blended Module-Based Teaching in Biostatistics and Research Methodology: A Retrospective Study with Postgraduate Dental Students. J Dent Educ [Internet]. 2019;83(4):445–50.
 Available:http://dx.doi.org/10.21815/JDE.0 19.054
- 23. Venkatesan J, Singh SK, Anil S, Kim S-K, Shim MS. Preparation, Characterization and Biological Applications of Biosynthesized Silver Nanoparticles with Chitosan-Fucoidan Coating. Molecules [Internet]. 2018 Jun 12;23(6).

 Available: http://dx.doi.org/10.3390/molecules
 - Available:http://dx.doi.org/10.3390/molecules23061429
- Alsubait SA, Al Ajlan R, Mitwalli H, Aburaisi N, Mahmood A, Muthurangan M, et al. Cytotoxicity of Different Concentrations of Three Root Canal Sealers on Human Mesenchymal Stem Cells. Biomolecules [Internet]. 2018;8(3).
 Available:http://dx.doi.org/10.3390/biom80 30068
- Venkatesan J, Rekha PD, Anil S, Bhatnagar I, Sudha PN, Dechsakulwatana C, et al. Hydroxyapatite from Cuttlefish Bone: Isolation, Characterizations, and

- Applications. Biotechnol Bioprocess Eng [Internet]. 2018;23(4):383–93. Available: https://doi.org/10.1007/s12257-018-0169-9
- 26. Vellappally S, Al Kheraif AA, Anil S, Wahba AA. IoT medical tooth mounted sensor for monitoring teeth and food level using bacterial optimization along with adaptive deep learning neural network. Measurement [Internet]. 2019;135:672–7. Available:https://www.sciencedirect.com/science/article/pii/S0263224118311333
- 27. PradeepKumar AR. Shemesh Nivedhitha MS. Hashir MMJ. Arockiam S. Uma Maheswari TN, et al. Diagnosis of Vertical Root Fractures by Cone-beam Computed Tomography in Root-filled Teeth with Confirmation by Direct Visualization: A Systematic Review and Meta-Analysis. Endod [Internet]. J 2021;47(8):1198-214. Available:http://dx.doi.org/10.1016/j.joen.2 021.04.022
- 28. R H, Ramani P, Tilakaratne WM, Sukumaran G, Ramasubramanian A, Krishnan RP. Critical appraisal of different triggering pathways for the pathobiology of pemphigus vulgaris-A review. Oral Dis [Internet]. 2021 Jun 21.

 Available:http://dx.doi.org/10.1111/odi.139 37
- Ezhilarasan D, Lakshmi T, Subha M, Deepak Nallasamy V, Raghunandhakumar S. The ambiguous role of sirtuins in head and neck squamous cell carcinoma. Oral Dis [Internet]. 2021 Feb 11. Available:http://dx.doi.org/10.1111/odi.137 98
- Sarode SC, Gondivkar S, Sarode GS, Gadbail A, Yuwanati M. Hybrid oral potentially malignant disorder: A neglected fact in oral submucous fibrosis. Oral Oncol [Internet]. 2021;105390.
 Available:http://dx.doi.org/10.1016/j.oralon cology.2021.105390
- Kavarthapu A, Gurumoorthy K. Linking chronic periodontitis and oral cancer: A review. Oral Oncol [Internet]. 2021 Jun 14;105375.
 Available:http://dx.doi.org/10.1016/j.oralon cology.2021.105375
- 32. Vellappally S, Abdullah Al-Kheraif A, Anil S, Basavarajappa S, Hassanein AS. Maintaining patient oral health by using a xeno-genetic spiking neural network. J Ambient Intell Humaniz Comput [Internet]. 2018 Dec 14..

- Available: https://doi.org/10.1007/s12652-018-1166-8
- 33. Aldhuwayhi S, Mallineni SK, Sakhamuri S, Thakare AA, Mallineni S, Sajja R, et al. Covid-19 Knowledge and Perceptions Among Dental Specialists: A Cross-Sectional Online Questionnaire Survey. Risk Manag Healthc Policy [Internet]. 2021;14:2851-61. Available:http://dx.doi.org/10.2147/RMHP.
- Cruz D, Falé PL, Mourato A, Vaz PD, Luisa Serralheiro M. Lino ARL. Preparation and physicochemical characterization of Ag nanoparticles biosynthesized by Lippia citriodora (Lemon Verbena) [Internet]. Vol. 81, Colloids and Surfaces B: Biointerfaces. 2010:67-73.

S306880

- Available:http://dx.doi.org/10.1016/j.colsurf b.2010.06.025
- Dash SS, Bag BG. Synthesis of gold 35. nanoparticles using renewable Punica granatum juice and study of its catalytic [Internet]. Vol. 4. **Applied** Nanoscience, 2014:55-9. Available:http://dx.doi.org/10.1007/s13204-012-0179-4
- 36. Krishnaveni KS, Srinivasa Rao JV. A New Isoflavone Acylated Glucoside from Pterocarpus santalinus [Internet]. Vol. 48, Chemical and Pharmaceutical Bulletin. 2000:1373-4. Available: http://dx.doi.org/10.1248/cpb.48.
- Balaraju K, Agastian P, Ignacimuthu S, 37. Park K. A rapid in vitro propagation of red sanders (Pterocarpus santalinus L.) using shoot tip explants [Internet]. Vol. 33, Acta Physiologiae Plantarum. 2011:2501-10. Available:http://dx.doi.org/10.1007/s11738-011-0795-8
- Arunkumar AN, Joshi G. Pterocarpus 38. santalinus (Red Sanders) an Endemic, Endangered Tree of India: Current Status, Improvement and the Future [Internet]. Vol. 4, Journal of Tropical Forestry and Environment. 2014. Available from: http://dx.doi.org/10.31357/jtfe.v4i2.2063
- S, Moteriya P, Chanda S. 39. Donga Evaluation of antimicrobial and synergistic antimicrobial properties of pterocarpus santalinus [Internet]. Asian Journal of Pharmaceutical and Clinical Research. 2017;10:204.
 - Available:http://dx.doi.org/10.22159/ajpcr.2 017.v10i11.20939

- Danda AK. Comparison of a single 40. noncompression miniplate versus noncompression miniplates in treatment of mandibular angle fractures: a prospective, randomized clinical trial. J Oral Maxillofac [Internet]. Surg 2010;68(7):1565-7. Available:http://dx.doi.org/10.1016/j.joms.2
 - 010.01.011
- Robert R, Justin Raj C, Krishnan S, 41. Jerome Das S. Growth, theoretical and optical studies on potassium dihydrogen phosphate (KDP) single crystals by modified Sankaranarayanan-Ramasamy (mSR) method [Internet]. Physica B: Condensed Matter. 2010;405:20-4. Available:\http://dx.doi.org/10.1016/j.physb. 2009.08.015
- Krishnan V, Lakshmi T. Bioglass: A novel 42. biocompatible innovation. J Adv Pharm Technol Res [Internet]. 2013;4(2):78-83. Available: http://dx.doi.org/10.4103/2231-4040.111523
- 43. Soh CL, Narayanan V. Quality of life assessment in patients with dentofacial deformity undergoing orthognathic surgery—A systematic review [Internet]. Vol. 42, International Journal of Oral and Maxillofacial Surgery. 2013. p. 974-80. Available:http://dx.doi.org/10.1016/j.ijom.20 13.03.023
- Lekha L, Kanmani Raja K, Rajagopal G, 44. Easwaramoorthy D. Schiff base complexes of rare earth metal ions: Synthesis, characterization and catalytic activity for the oxidation of aniline and substituted [Internet]. anilines Journal of Organometallic Chemistry. 2014;753:72-
 - Available:http://dx.doi.org/10.1016/j.jorgan chem.2013.12.014
- Dhinesh B, Isaac JoshuaRamesh Lalvani J, Parthasarathy M, Annamalai K. An assessment on performance, emission and combustion characteristics of single cvlinder diesel engine powered Cymbopogon flexuosus biofuel [Internet]. Energy Conversion and Management. 2016;117:466-74.
 - Available:http://dx.doi.org/10.1016/j.encon man.2016.03.049
- PradeepKumar AR, Shemesh H, Jothilatha 46. Vijayabharathi R, Jayalakshmi S, Kishen A. Diagnosis of Vertical Root Fractures in Restored Endodontically Treated Α Time-dependent Teeth:

- Retrospective Cohort Study. J Endod [Internet]. 2016;42(8):1175–80. Available:http://dx.doi.org/10.1016/j.joen.2 016.04.012
- 47. Vijayakumar GNS. Nixon Samuel Vijayakumar Devashankar G, S, Ρ. Rathnakumari M. Sureshkumar Synthesis electrospun ZnO/CuO of nanocomposite fibers and their dielectric and non-linear optic studies [Internet]. Vol. 507, Journal of Alloys and Compounds. 2010: 225-9. Available:http://dx.doi.org/10.1016/j.jallcom .2010.07161
- 48. Kavitha M, Subramanian R, Narayanan R, Udhayabanu V. Solution combustion synthesis and characterization of strontium substituted hydroxyapatite nanocrystals [Internet]. Powder Technology. 2014;253:129–37. Available:http://dx.doi.org/10.1016/j.powtec .2013.10.045
- Sahu D, Kannan GM, Vijayaraghavan R. Size-Dependent Effect of Zinc Oxide on Toxicity and Inflammatory Potential of Human Monocytes [Internet]. Journal of Toxicology and Environmental Health, Part A. 2014;77:177–91.
 Available:http://dx.doi.org/10.1080/152873 94.2013.853224
- Neelakantan P, Cheng CQ, Mohanraj R, Sriraman P, Subbarao C, Sharma S. Antibiofilm activity of three irrigation

- protocols activated by ultrasonic, diode laser or Er:YAG laserin vitro [Internet]. International Endodontic Journal. 2015;48:602–10.

 Available:http://dx.doi.org/10.1111/jei.1235
- Available:http://dx.doi.org/10.1111/iej.1235
- 51. Lekha L, Kanmani Raja K, Rajagopal G, Easwaramoorthy D. Synthesis, spectroscopic characterization and antibacterial studies of lanthanide(III) Schiff base complexes containing N. 0 donor atoms [Internet]. Journal Molecular Structure. 2014;1056-1057: 307-13. Available:http://dx.doi.org/10.1016/j.molstr
 - uc.2013.10.014

 Gopalakannan S, Senthilvelan T,
- 52. Gopalakannan S, Senthilvelan T, Ranganathan S. Modeling and Optimization of EDM Process Parameters on Machining of Al 7075-B4C MMC Using RSM [Internet]. Vol. 38, Procedia Engineering. 2012: 685–90. Available:http://dx.doi.org/10.1016/j.proeng .2012.06.086
- 53. Parthasarathy M, Isaac JoshuaRamesh Lalvani J, Dhinesh B, Annamalai K. Effect of hydrogen on ethanol-biodiesel blend on performance and emission characteristics of a direct injection diesel engine. Ecotoxicol Environ Saf [Internet]. 2016;134(Pt 2):433–9. Available:http://dx.doi.org/10.1016/j.ecoenv .2015.11.005

© 2021 Amrithaa et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:
The peer review history for this paper can be accessed here:
https://www.sdiarticle5.com/review-history/77891