

Asian Journal of Environment & Ecology

Volume 23, Issue 7, Page 200-230, 2024; Article no.AJEE.118198 ISSN: 2456-690X

The Environmental Conservation Strategies Used in Secondary Schools Align with Guidelines of United Nations Environmental Program: Evidence from a Cross-Sectional Study in a City Setting

Abdulkadir K. Narura ^a, Jamilu E. Ssenku ^{a,b}, Ali Kudamba ^{a,b}, Shaban A. Okurut ^b, Aidah Namuli ^b, Noor Nansikombi ^c, Joweria Nakizito ^a, Hussein M. Kafeero ^d and Abdul Walusansa ^{a,b,d*}

^a Department of Environmental Science, Faculty of Science, Islamic University in Uganda, P.O. Box 2555, Mbale, Uganda.

^b Department of Biological Sciences, Faculty of Science, Islamic University in Uganda, P.O. Box 2555. Mbale, Uganda.

^c Department of Food Science and Nutrition, Faculty of Agribusiness, Islamic University in Uganda, P.O. Box 2555, Mbale, Uganda.

^d Department of Microbiology, Faculty of Health Sciences, Islamic University in Uganda, P.O. Box 2555, Mbale, Uganda.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: https://doi.org/10.9734/ajee/2024/v23i7575

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: https://www.sdiarticle5.com/review-history/118198

*Corresponding author: E-mail: abdulwalusansa@gmail.com;

Cite as: Narura, Abdulkadir K., Jamilu E. Ssenku, Ali Kudamba, Shaban A. Okurut, Aidah Namuli, Noor Nansikombi, Joweria Nakizito, Hussein M. Kafeero, and Abdul Walusansa. 2024. "The Environmental Conservation Strategies Used in Secondary Schools Align With Guidelines of United Nations Environmental Program: Evidence from a Cross-Sectional Study in a City Setting". Asian Journal of Environment & Ecology 23 (7):200-230. https://doi.org/10.9734/ajee/2024/v23i7575.

Narura et al.; Asian J. Env. Ecol., vol. 23, no. 7, pp. 200-230, 2024; Article no.AJEE.118198

Original Research Article

Received: 08/04/2024 Accepted: 12/06/2024 Published: 19/06/2024

ABSTRACT

The climate change crisis might soon be the biggest threat to global human existence if immediate action is not taken to overpower it. In Eastern Uganda, Mbale city is among the most affected areas, and the burden manifests in form of disasters such as long dry spells and floods. One of such floods in this city recently destroyed 5,000 acres of crops and homes of 5,600 people, killed over 30- and cut off clean water for 400,000 people. Schools can create environmentally responsible communities that are able to address this threat, but persistence of the burden in this area depicts unclear gaps in the roles played by these academic institutions. This study therefore examined the environmental conservation strategies used in addressing climate change and related calamities by students and staff of secondary schools in Mbale city, to unravel intervention-gaps and guide the way forward. Conservation strategies, plus factors promoting their adoption and challenges, as well as the perceptions, attitudes, awareness, and knowledge about environmental conservation and climate change were examined in a random sample of 384 secondary school students and staff. Pre-tested, semi-structured questionnaires and Key Informant Interviews (KIIs) were used under the guidelines of the United Nations Environment Programme (UNEP), supplemented with observational surveys and photography. Data was analyzed with descriptive and inferential statistics using STATA version-15.0. Graphs were plotted with GraphPad Prism® version 9.0.0. Conservation strategies in schools were found to be diverse, involving mainly tree planting (N=339, 91.2%), preservation of green spaces (N=310, 83.3%), harvesting rain water and not damping wastes in water resources (N= 372, 100% each). Reuse of waste plastic bottles to fabricate dustbins was a novel observation. KIIs showed that the use of the school curriculum to support environmental conservation and climate change action was also prominent (N=12, 100%), but was not significantly different from other key strategic approaches such as incentives (χ^2 = 0.992, p = 0.319), and aid from some agencies (χ^2 = 3.200, p = 0.074). Interventions against air pollution were scarce. Determinants of choice of conservation measures were mostly; the school curriculum (N=381, 99.2%), costs (N= 381, 99.2%), land size (N= 352, 91.7%) and education level (N=250, 65.1%). Commonest perceptions on why conservation is vital were; to avert ecological threats (N=372, 100%), and the urge for a clean environment (N=372, 100%). Good attitudes towards conservation were in 269 (70.1%) of the participants; 48.4%, 7.8%, and 7.1% were not aware about biodiversity loss, climate change, and pollution respectively. 58.1% lacked sufficient conservation knowledge. Long dry seasons (100%), financial scarcities (94.8%), and high population (98.9%) were the commonest barriers, while low political will (N=12, 3.1%), was minimal. In conclusion, environmental conservation strategies in secondary schools in Mbale city are diverse, largely align with guidelines of UNEP, and are based on the geography, resources, policies, and sociodemographic factors. The commonest challenges were; long dry spells, financial scarcities, population pressure. Redress to these anomalies is desired to enhance the use of secondary schools as hubs for environmentally responsible communities that can address environmental crises like climate change sustainably.

Keywords: Climate change; environment; conservation; schools; Mbale city; Eastern Uganda.

ABBREVIATIONS

UNESCO	: United Nations Educational, Scientific and Cultural Organization
UNEP	: United Nations Environment Programme
EE	: Environmental Education
UNCED	: United Nations Conference on Environment and Development
NGO	: Non-governmental Organization
IPPC	: Intergovernmental Panel on Climate Change

WMO	: World Meteorological Organization
WHO	: World Health Organisation
UN	: United Nations
NEMA	: National Environment Management Authority
000.	

CBOs : Community Based Organizations

1. INTRODUCTION

It is believed that climate change will soon be the greatest threat to human existence on Earth, making action against it urgently necessary (World Health Organisation [1]. World Meteorological Organization [2]. It is projected that over 216 million people will be displaced by climate change by 2050 if decisive and swift concerted action is not taken [3,4]. As the world's food systems strain to feed a growing population and water supplies become more vulnerable, climate change is putting lives and livelihoods in jeopardy [3]. The term "climate change" refers to the long-term alterations in temperature and weather patterns. These alterations can be natural, but since the 1800s, human activities have been the primary cause of climate change [5]. Such human activities include the burning of fossil fuels like coal, oil, and gas [6]. Fossil fuel combustion releases greenhouse gases into the atmosphere, which encircle the planet like a blanket and trap solar heat, causing the earth's temperatures to rise, a phenomenon technically called global warming [7]. Carbon dioxide and methane are the primary greenhouse gases responsible for climate change [8]. These result from using coal to heat a building or gasoline to operate a vehicle, for instance. Carbon dioxide can also be released by clearing land and destroving forests. Methane emissions are mostly produced by the oil and gas industry and agriculture [7,1].

Research indicates that for the past 200 years, almost all global warming has been caused by humans' activities [5]. The Earth's surface currently has an average temperature that is 1.1°C higher than it was during the late 1800s (prior to the industrial revolution) and higher than it has ever been in the previous 100,000 years [2]. The last four decades have all been warmer than any other decade since 1850, with the most recent decade (2011-2020) being the warmest on record [5,1]. Besides global warming, the pressing consequences of climate change range from escalation of human diseases and deaths [9] to devastating calamities like intense droughts, water scarcity, severe fires, rising sea levels, flooding [7] catastrophic storms, and declining biodiversity among others [5].

Currently, 25% of annual global human deaths are caused by preventable environmental risks and climate change exacerbates these risks [1]. The consequences of climate change and the associated environmental disasters are more severe in resource-poor settings, especially Sub-Saharan Africa [4]. This may partly be attributed to the fact that the vulnerable populations in lowincome settings are already afflicted by resource constraints and other socioeconomic factors such as illiteracy and technology shortfalls which hinder climate change adaptation and mitigation initiatives. One of the areas of the African continent where environmental threats are most prevalent is East Africa. For example, according to the State of the Climate in Africa 2020 report the World Meteorological Organization of (WMO), 1.2 million additional people in East Africa were displaced due to climate change and its related environmental disasters, primarily; floods, storms, and droughts [2]. These tragedies are frequently observed in Uganda, particularly in the Eastern districts of the nation, mostly Mbale [10]. For instance, the catastrophic July 2022 floods at rivers including Nabuvonga, which claimed over 30 lives and destroyed thousands of dollars' worth of property, are some of the frequent occurrences of such environmental tragedies in Mbale district [11]. The floods destroyed over 2,000 hectares (5,000 acres) of crops, submerged homes, businesses, and roads, and uprooted water pipes, leaving over 400,000 people without access to clean water and over 5,600 people displaced [12]. Therefore, Eastern Uganda, particularly the areas in Mbale district, such as Mable city, are among the most critical parts of Uganda, where the country's targeted interventions against climate change and the associated and its related environmental cruises need to be tailored.

In order to efficiently address climate change and other environmental emergences which are matters of urgent concern, the World Health Organization (WHO) has already recommended that the world decarbonize its energy systems and cut emissions by at least 43% over the next seven years, primarily by stepping up environmental conservation initiatives [1]. For to effectively respond to Uganda this recommendation, particularly in Mbale city.

academic institutions such as secondary schools need to be given considerable attention. This is because the schools are not only affected by consequences of environmental disasters, such as devastation of information resources, schoolgardens and infrastructure by floods Härtel et al., [13] Mongar, [14] Nakate Vanessa, [12] but have also traditionally been considered as essential centers for developing environmentally knowledgeable and competent people with a proenvironmental attitude, able to effectively address environmental threats [15,16,13,17]. Nonetheless, there is a scarcity of information regarding environmental conservation strategies employed in Eastern Ugandan schools and the difficulties that come with them. This evidence deficit deters the optimal use of schools in addressing climate change and its related environmental threats, partly contributing to the escalation of these catastrophes. Therefore, the aim of this research was to examine the environmental conservation initiatives implemented as a way of addressing climate change, by students and staff of secondary schools in Mbale city, because the skills instilled in school communities in such initiatives are otherwise supposed to cause positive impacts in the general community. To achieve this, the environmental conservation strategies, factors influencing the adoption of these strategies, and the associated barriers, among secondary school students and staff were determined. This was followed by a comprehensive examination of the attitudes. awareness, perceptions. and knowledge about environmental conservation and climate change, in order to unraveled the potential gaps in school based environmental conservation strategies and pave way for the bridging of these gaps, hence advancing the capacity of schools to create environmentally responsible communities.

2. MATERIALS AND METHODS

2.1 Research Design

In order to successfully address the research objectives and achieve the goals of the study, a mixed-methods research strategy was utilized. According to Creswell & Creswell, [18] mixedmethods research is a research approach that combines both quantitative and qualitative research methods in order to provide a more comprehensive and nuanced understanding of a research problem. Qualitative research examines people's perspectives, cultures, and experiences

to reveal how they shape the outcome variable [19] which is environmental conservation in the context of the proposed study. In the proposed study, a cross sectional design with a qualitative approach was adopted, to subject secondary students' and staff to pre-tested semi-structured questionnaires and interviews. The findings revealed how the staff and students' perceptions, attitudes, awareness, and knowledge about environmental conservation and climate change, and the prevailing challenges influence the adoption of different environmental conservation interventions in secondary schools in Mbale City.

quantitative research utilizes In contrast, numerical data to examine patterns. relationships, and statistical significance [18]. The collection of quantitative data in this research was done using a descriptive cross sectional survey design, with semi-structured pre-tested questionnaires. This enabled the unraveling of the extent to which various environmental conservation techniques are being adopted in schools, and how the qualitative variables described above influence the choice of these techniques. The collected data was subjected to suitable statistical techniques in order to identify trends on how the qualitative variable such as perceptions, knowledge and attitudes relate to the environmental conservation methods adopted in different schools.

2.2 Conceptual Framework

The study context in this research was been conceptualized as follows.

2.3 Study Area

The study was conducted in Mbale City, located in Mbale district, with a particular emphasis on the secondary schools located there. Mbale district is located in Eastern Uganda, about 225 kilometers northeast of Kampala, the main commercial and capital city of Uganda (Fig. 1). The coordinates of the Mbale district are 1°04'50.0"N, 34°10'30.0"E (latitude: 1.080556; longitude: 34.175000), with an average elevation of 1,156 meters (3,793 feet) above sea level [20]. Given its natural richness and the difficulties it possibly encounters in preserving the environment, which culminate in the frequent outbreaks of natural calamities like floods and long dry spells, Mbale distinct is a perfect site for the proposed study.

Narura et al.; Asian J. Env. Ecol., vol. 23, no. 7, pp. 200-230, 2024; Article no.AJEE.118198



Fig. 1. Conceptual framework of this research

2.4 Study Population

According to Cohen et al., [21] a study population refers to the total number of individuals that are eligible for inclusion into the study because they are assumed to have information concerning the research problem at hand. It is from this group that the study sample can be obtained. The research population includes Secondary school students, teachers, school administrators, and other staff who have a stake in environmental activities such as academic programs, cleaning and tree planting activities among others.

2.5 Sample Size Determination

The sample size for this research has been determined using a published formula [22].

$$n = \frac{[Z^2 P q]}{d^2}$$

n = required sample size

Z = confidence level at 95% (standard value of 1.96)

P = estimated proportion of secondary school communities that are involved in environmental conservation in Mbale city, or similar settings (a 50% \approx 0.5 is adopted if such evidence is not available), hence \approx 0.50 has been adopted in the case of this research.

q = 1-P (estimated prevalence of eligible members of the study population that decline to participate in environmental conservation programs ≈ 0.50)

d = accepted error of 5% (standard value of 0.05)

$$n = \frac{\left[(1.96)^2 \ x \ (0.50) x (0.50) \right]}{(0.05)^2} \approx 384$$

Sample size (n) = 384 participants was adopted in this research

2.5.1 Sampling techniques

A stratified random sampling technique was used where the schools were divided into two strata namely; (i) The government aided secondary schools, and (ii) the privately owned secondary schools. The study recruited a proportionate number of respondents from each stratum based on its size, in order to provide equal opportunities for participation among the various participant groups.

2.6 Data Collection Methods and Instruments

For objective 1, the researchers used pre-tested semi-structured questionnaires to document the methods adopted, and the frequency of usage, and the procedures for these methods. Such methods may include the implementation of environmental education programs, school's involvement in community conservation initiatives, waste management, tree planting and maintenance among others. The conservation methods and practices were also evaluated using a standardized observation checklist and photography with a digital camera.

For objectives 2 and 3, researchers used prevalidated, self-administered questionnaire to a sample of secondary school students and staff to collect data on their knowledge, perceptions, attitudes, and awareness on environmental

and climate conservation change. The questionnaire assessed knowledge on climate change and environmental hazards, plus the associated conservation measures; attitudes towards conservation; and perceptions on the importance of environmental conservation and climate change mitigation. The policy makers (Kev Informants), such as headteachers, directors of studies, directors of schools, matrons and wardens; plus, the support staff that are closely involved in waste management and compound maintenance were subjected to Key Informant Interviews (KII), using a standardized interview guide.



Fig. 2. Map showing the study sites

2.7 Data Analysis Plan

Data was first checked for completeness and accuracy using Microsoft excel 2016 to remove outliers, and address any cases of missing data before analysis, as a way of assuring data quality. The qualitative data gathered from Key Informant Interviews was transcribed, coded, and analvzed using thematic synthesis then Castleberry & Nolen, [23] to identify recurring patterns, themes, and insights related to the perceptions, attitudes and knowledge of environmental conservation and climate change and the challenges associated with the adoption of different conservations interventions. The themes that may arise could include: policy factors, curriculum factors, resource factors, and environmental factors among others.

For the quantitative variables, the data was entered in MS-Excel and exported to STATA version 15.0 software. The data was tested for normality by using D'Agostino-Pearson test with normal distribution accepted at (p>0.05). Data was analyzed using descriptive statistics such as frequencies, mean, mode, and percentages, and inferential statistics (Pearson's Chi-square at 0.05 significancy level).

2.8 Ethical Considerations

The higher degrees research committee of the Faculty of Science at Islamic University in Uganda (IUIU) granted permission to conduct research. Additionally, the local government of Mbale city, and the administerators of the respective schools under study were requested for permission to access and use the research sites. Further, the study upheld among others the following ethical principles of scientific research as described by Kumar, [24]. Informed consent: the researcher took the prospective participants through the consenting process Chatterjee et al., [25] and support the intersected participants to sign the informed consent forms. Confidentiality: the researcher did not disclose the identities of respondents (instead used assigned codes), and did not use participants' feedback for purposes other than for this study. Integrity: the researcher endeavored to report the research outcomes objectively in a manner that did not change them to serve personal interests can be very since this unethical. The researcher thus reported the findings in a clear, unbiased, accurate, and objective ways possible.

3. RESULTS AND DISCUSSION

3.1 Results

3.1.1 Sociodemographic characteristics of the participants

Of the 384 participants in this research, the majority were females (N=203, 52.9%), and youths (N=302, 78.6%), and had stayed in the respective schools for 1≤4 years (N=286, 74.5%). Most of the participants were students (N=319, 83.1%), followed by the staff who are not teachers and administrators, that is the compound maintainers, cooks and medical personnel (N=30, 7.8%). Most schools spent < UGX 750,000 on environmental conservation monthly (N=04, 66.6%) (Table 1).

3.1.2 Environmental conservation strategies used by secondary school students and staff in Mbale city

The environmental conservation strategies that were most predominantly used by secondary school students and staff in Mbale city as revealed in the current study are shown in Fig. 3, and subsequently demonstrated (Supplemental files 1-12). These conservation strategies were conceptualized into four themes as stipulated in the international guidelines of the United Nations Environment Programme / UNEP, [26]. As such, the majority of the conservation strategies adopted by the schools under study were in the category of interventions supporting conservation of the entire environment in general (land, water, and air), mostly tree planting (N=339, 91.2%) (Supplemental files 1 and 2), and preservation of green spaces (N=310, 83.3%) (Supplemental file 3). This was followed by the strategies aimed at conservina water resources, mostlv the harvesting of rain water to ease pressure on depletable water resources, not dumping wastes in water bodies (N= 372, 100% each), and not pouring chemicals in water-ways (N=362, 97.3%). The scarcest strategies were those used for mitigating air pollution, of which, the commonest was the use of fume cupboards in laboratories (N=77, 20.7%), and minimization of wood and other fuel combustions (N=70, 18.8). The other, remarkably infrequent, environmental conservation strategies that were revealed in the observational survey in this research were; kitchen-fume pipes installation of outlet (Supplemental file 4), getting rid of solid wastes by combustion (Supplemental file 5), mixed cropping and mulching (Supplemental file 6),

establishment of shallow wells (Supplemental file 7), agroforestry and incineration (Supplemental file 8), and innovative re-use of plastic waste bottles (Supplemental file 9).

For the management of medical wastes, all the school medical officers (N= 09, 100%), indicated that they collected the combustible medical wastes in plastic waste baskets, sometimes together with the non-medical wastes (Supplemental file 10). Following considerable accumulation, these wastes were finally burnt together with other solid wastes such as papers and polythene bags that were generated in the general school community. However, the medical wastes that are commonly referred to as sharps (non-combustible solid wastes such as syringes and broken pharmaceutical glass bottles), were reported to be collected in hard paper containers (Supplemental file 10), and eventually deposited in school toilets.

Results from the Key Informant Interviews revealed that all the school administrators (N=12,

100%), acknowledged the use of environmentally relevant contents integrated into the teaching curriculum of some subjects, especially, Biology, Agriculture, and Geography, as a tool to promote and support environmental conservation in their schools. The frequency of mention of the use of formal education curriculum support to environmental conservation and climate change mitigation was not significantly different from other key strategic approaches such as the use of incentives (N=11, χ^2 = 0.992, p = 0.319, 95%CI=-16.92% to 36.8%) (Fig. 4), and mobilization of resources from government and Non-governmental Organizations (NGOs) (N=9, $\chi^2 = 3.200$, p = 0.074, 95%CI=-4.80% to 57.30%) (Table 2). Such NGOs included Nature Uganda, WaterAid. SOMA Foundation. and the United Nations International Childrens Emergency Fund (UNICEF) (Supplemental files 11, and 12). On the other hand, the frequency of citation of the adoption of formal education curriculum was significantly less than some informal approaches such as the "promotion of students' community outreach activities", including environmental

Variable		Number (%)
Gender	Male	181 (47.1%)
	Female	203 (52.9%)
Age (years)	18-24 (Youths)	302 (78.6%)
	25-63 (Middle aged)	82 (21.4)
	≥ 64 (Elderly)	0 (0.00%)
Nationality	Ugandan	384 (100%)
	Non-Ugandan	0 (0.0%)
Marital status	Married	65 (16.9%)
	Single	319 (83.1%)
Highest level of education attained	None	20 (5.2%)
	PLE	251 (65.4%)
	UCE	68 (17.7%)
	UACE	4 (1.0%)
	Tertiary	41 (10.7%)
Time spent in this school (Years)	1≤4	286 (74.5)
	≥5	98 (25.5%)
School's estimated monthly expenditure on	Not specified	01 (16.7%)
environmental conservation / UGX (\$) (N=6)	< 750,000 (200)	04 (66.6%)
	750,000 ≤ 1,500,000 (400)	01 (16.7%)
Category of respondents	Students	319 (83.1%)
	Teachers	23 (6.0%)
	School administrators	12 (3.1%)
	Others	30 (7.8%)
Total of people in the school (N=6)	300 ≤ 500	1 (16.7%)
	501 ≥700	2 (33.3%)
	>700	3 (50.0%)

Table 1. Socio-demographic characteristics of the participants (n=384)

Key; UGX: Uganda Shillings, \$: United States Dollar, PLE: Primary Leaving Exams, UCE: Uganda Certificate of Education, UACE: Uganda Advanced Certificate of Education, Others: Cleaners/compound maintainers, Cooks, Medical staff.



Fig. 3. Environmental conservation strategies used by secondary school students and staff in Mbale city (N=372). Labs: Laboratories, E.g: Example given, Others: Routine general cleaning of the school, engaging in school environmental clubs, Effective management of toilet facilities and sewage

cleanups (N=4, $\chi^2 = 9.005$, p = 0.003, 95%Cl=18.06% to 92.50%), and awareness creation through music, poems, and plays (N=6, $\chi^2 = 6.800$, p = 0.009, 10.50% to 81.20%). None of the key informants confirmed the use of environmental policy instruments developed by their schools, nor the adoption of the guidelines established by national institutions such as Uganda National Environmental Management Authority (NEMA), and international frameworks like the United Nations Environment Program (UNEP). The results from Key Informants are shown in Table 2, Fig. 4 and Supplemental files 11 and 12. Among the incentives offered by school administrators (Key Informants), to the members of the school communities that are championing environmental conservation and the fight against climate change, the three most frequently cited approaches were; verbal public recognition was, award of certificates of appreciation, and access of environment prefects to the students' leaders' privileges such as; special meals, free school uniforms, and consumable items like sugar (Fig. 4). The least cited was recognition of the leading environmental conservation champions in the publications schools' periodical such as magazines (N=3, 25%) (Fig. 4).

Variable	f (%)	X ²	p- value	95%CI
Relevant contents integrated in the teaching curriculum	12 (100) REF			
Giving incentives to enhance stakeholder engagement	11 (91.7)	0.992	0.319	-16.92% to 36.8%
Budgetary allocation on environmental conservation	10 (83.3)	2.070	0.150	-10.57% to 47.66%
Capacity building through teaching, seminars and workshops	10 (83.3)	2.070	0.150	-10.57% to 47.66%
Resource mobilization from NGOs and government agencies	9 (75.0)	3.200	0.074	-4.80% to 57.30%
Use energy-efficient light bulbs to reduce greenhouse gasses	9 (75.0)	3.200	0.074	-4.80% to 57.30%
Promotion of students' environment clubs	9 (75.0)	3.200	0.074	-4.80% to 57.30%
Participation in international environment celebrations	8 (66.7)	4.380	0.036	0.58% to 66.10%
Relevant activities integrated in informal curriculum	7 (58.3)	5.601	0.018	5.74% to 74.14%
Awareness creation through music, poems, and plays	6 (50.0)	6.800	0.009	10.50% to 81.20%
Promotion of students' community outreach activities	4 (33.3)	9.005	0.003	18.06% to 92.50%
Relevant policy instruments developed/adopted	0 (0.00)	NA	NA	NA

 Table 2. Strategies used to promote and support environmental conservation and climate change mitigation by secondary school administrator in Mbale city (N=12)

 χ^2 : Chi-square, f = Frequency of mention, NGOs: Non-governmental Organizations, REF: Reference value, NA: Not application, Bold p-values are significant.

Pertaining to the preference ranking on the scale of 5, for the top six methods that can be most effective in promoting environmental conservation and climate change mitigation in Mbale city, the Key Informants (school administrators), ranked "tree planting" (Score=48, Rank=1st), as the most effective approach for environmental conservation and climate change mitigation in the ecological context of Mbale city. This was followed by "planting of cover grasses" (Score=40. Rank=2nd). Terracing was ranked as the least effective among the top six intervention measures (Table 3).

3.1.3 Factors underpinning the adoption of environmental conservation strategies among secondary school students and staff in Mbale city

The most commonly cited reasons for using the above environmental conservation and climate change mitigation strategies fell under three themes namely; resources, policies, and the nature of the environment (Fig. 5). Particularly, the most commonly stated reasons were; the fact

that the environmentally sensitive contents (environmental education), are incorporated into the national teaching curriculum hence schools are obliged to implement it (N=381, 99.2%), the cost of the interventions (N= 381, 99.2%), the existing soil erosion types and severity (N= 371, 96.6%), and the size of the land owned by the school (N= 352, 91.7%) (Fig. 5). A representative image of the deep scars of eroded soil that would influence the choice of intervention strategies, as observed in this study (Supplemental file 13). The least cited factors were in the category of social demographics, particularly, the school community's level of expertise on environmental matters (N=32, 8.3%), followed by the category of resources, that is, the financial capacity of the schools (N=41, 10.7%).

3.1.4 Perceptions, attitudes, awareness, and knowledge about environmental conservation and climate change among secondary school students and staff in Mbale City

To investigate the perceptions about environmental conservation and climate change,

the respondents were asked to give their opinions with regards to why they thought conserving the environment and fighting climate change is an important venture. The perceived desire to avert ecological threats like global warming and floods was the most frequently cited reason for conserving the environment (N=372, 100%). This was followed by the need of a clean environment for human and wildlife

health (N=362, 97.3%), and to sustain essential natural resources such as lakes (Fig. 6). The perceived reasons for conserving the environment that were least stated by the respondents were; to pave way for practical environmental education (N=22, 5.9%), to promote an ideal environment for recreation (N=26, 7%), and to earn income, e.g. from trade in seedlings (N=38, 10.2%).

 Table 3. Preference ranking of the effectiveness of the top six environmental conservation methods by secondary school administrators in Mbale city (N=12)

Variable	Respondents								Score	Rank				
	R ₁	R2	R³	R4	R₅	R ₆	R7	R ₈	R۹	R 10	R 11	R 12		
Tree planting	4	5	5	5	3	3	4	4	5	3	3	4	48	1 st
Recycling wastes	2	5	3	3	2	3	5	2	3	3	2	5	38	3 rd
Burning rubbish	3	3	4	2	5	3	2	3	2	3	5	2	37	4 th
Mulching	3	4	3	2	2	3	4	3	2	3	2	4	35	5 th
Planting cover	3	3	3	4	4	4	2	3	4	4	4	2	40	2 nd
grasses														
Terracing	3	2	2	3	4	3	2	3	3	3	4	2	34	6 th



Fig. 4. Incentives offered by school administrators to staff and students to promote and support the participation of secondary school communities in environmental conservation and climate change mitigation programs in Mbale city (N=12)



Fig. 5. Factors underpinning the adoption of environmental conservation strategies among secondary school students and staff in Mbale City (N= 384). The factors were conceptualized into four themes; Socio-demographic Factors (SDFs), environmental factors, policy factors, and then resources

Further. when asked to highlight their perceptions whether they thought on conservation environmental is adequately integrated into the national school curriculum, the most widespread perception was that the integration was at a moderate level (N=218, 58.6%), while none of the participants (N=0, 0.0%), believed that the curriculum did not address the environmental conservation aspects at all (Table 4).

Pertaining to the attitudes about environmental conservation and climate change, when asked, "*If you are neither obliged nor motivated to conserve the environment, would you consider abandoning your current roles as an actor in environmental conservation?*", 269 (70.1%) of the 384 participants said "No", 16 (4.2%) said yes, while 99 (25.7%) were undecided. With regard to the awareness about environmental conservation and climate change issues, 180 (48.4%), 29 (7.8%), and 26 (7.1%) of the

respondents were not aware at all about biodiversity loss, climate change, pollution respectively, and their linkages to environmental crises, while the majority were extremely aware about deforestation (N=207, 55.6%) and water scarcity (N=144, 38.7%) (Table 5).

Further, the majority of the respondents believed that the students and staff in the schools under study were moderately— (N=179, 46.6%), and very much — (92, 24.0%) aware about the importance of environmental conservation in schools, while only three (0.8%), stated that the school communities were not aware at all (Fig. 7 A). Similarly, the majority of the respondents indicated that the students and staff in the schools under study were only moderately— (N=160, 41.7%), and very much— (109, 28.4%) aware of the dangers of climate change and the need to address it, while only six (1.6%), stated that the school communities were not aware at all. The results are demonstrated in Fig. 7 (B).

Table 4. Perceptions of students and staff of secondary schools in Mbale city on whether environmental conservation is adequately integrated into the national school curriculum (N=372)

Do you think environmental conservation is adequately integrated into the school curriculum?				
Variable	Frequency (%)			
Not at all	0 (0.0%)			
Slightly	19 (5.1%)			
Moderately	218 (58.6%)			
Very much	71 (19.1%)			
Extremely	64 (17.2%)			



Fig. 6. Perceptions on why conserving the environment and fighting climate change are important in the opinion of secondary school students and staff in Mbale City

3.1.5 Barriers hindering the effective utilization of environmental conservation strategies among secondary school students and staff in Mbale city

The majority of the barriers were in the category of environmental factors, followed by resources, and anthropogenic issues, while policy factors were minimal (Fig. 8). Overall, the most frequently cited challenges were; the long dry spells (N=384, 100%), high population (N=372, 98.9%%), Inadequate funding (N=364, 94.8%%), and the high cost of alternatives to wood fuel (N=360, 93.8%). Supplemental file 14 (A), shows a school compound with its vegetation depleted, largely due to the high student's population that

tramples on the grass. Supplemental file 14 (B) shows the masses of wood adopted for cooking due to the high cost of climate-smart alternative fuels such as gas. Supplemental file 15 (A) shows dilapidated waste buckets persistently used and Supplemental file 15 (B) shows a waste basket filled beyond the desired capacity, largely due to the scarcity of such garbage collection resources, or lack of finances to purchase enough resources in the schools. The least cited hinderance was the inadequacy of environment experts (N=8, 2.1%). This was followed by inadequate cooperation from school staff (N=10, 2.6%), and low political will and limited support from stakeholders beyond the school communities (N=12, 3.1%) (Fig. 8).

Table 5. Awareness of students and staff of secondary schools in Mbale city on critical environmental conservation and climate change issues (N=372)

How aware are you of the following environmental conservation and climate change issues, on a scale of 1 to 5, where 1 = Not at all aware and 5 = Extremely aware?					
Environmental conservation issues	Awareness Level	N, (%)			
	1	29 (7.8%)			
	2	193 (51.9%)			
Climate change	3	41 (11.0%)			
	4	55 (14.8%)			
	5	54 (14.5)			
	1	180 (48.4%)			
	2	13 (3.5%)			
Biodiversity loss	3	62 (16.7%)			
	4	39 (10.5%)			
	5	78 (20.9%)			
	1	26 (7.1%)			
	2	60 (16.1)			
Pollution	3	21 (5.6%)			
	4	66 (17.7%)			
	5	199 (53.5)			
	1	17 (4.6%)			
	2	59 (15.9)			
Deforestation	3	31 (8.3%)			
	4	58 (15.6%)			
	5	207 (55.6%)			
	1	27 (7.3%)			
	2	92 (24.7%)			
Water scarcity	3	98 (26.3%)			
	4	11 (3.0%)			
	5	144 (38.7%)			



A: To what extent do you believe students and staff are aware of the importance of environmental conservation in this school?

Narura et al.; Asian J. Env. Ecol., vol. 23, no. 7, pp. 200-230, 2024; Article no.AJEE.118198



Very much aware Extremly ware

B: To what extent do you believe students and staff are aware of the dangers of climate change and the need to address it?

Fig. 7. Awareness of secondary school students and staff in Mbale city about the importance of environmental conservation (A), and climate change action to mitigate its dangers (B). The presence of individuals that are only minimally aware, or not aware at all about the importance of environmental conservation, and the dangers of climate change and the need to address it is a matter of critical concern, because the lack of awareness among such individuals can promote their participation in environmentally harmful behaviors such as pollution

3.2 Discussion

The majority of the respondents were females but the difference with males was marginal. Similarly, prior reports from Italy [27] Central America Moody-Marshall, [28] Kenya Moody-Marshall, [28] and some parts of South Africa Matsekoleng et al., [29] Moody-Marshall, [28] indicated that females constituted slightly more environmental participants in conservation initiatives in schools. Also, some studies conducted both in schools and in non-academic communities elsewhere have reported the greater participation of females in championing environmental conservation and the climate change advocacies elsewhere [30-32]. On the other hand, in Kenya and Tanzania, the male gender constituted the majority of the participants in a study which assessed the factors associated with the effectives of environmental conservation projects in secondary schools [33,34]. The minor difference, in which the female participants slightly outnumbered the males in the current study may be attributed to the fact that in the recent years, the population of female students in secondary and tertiary schools in Uganda has slightly outnumbered the males [35,36]. And this

trend is likely to heighten since there is reliable evidence that in Uganda, the females are now more likely to be enrolled in secondary schools compared to their male counterparts [37] overturning the documented trend in the previous few years [35,38,39].

On the global landscape as well, the percentage of boys and girls enrolled in primary and secondary education is reported to be approaching parity in almost all parts of the world, with a minor disparities in a few countries [40]. The involvement of more females than males in environmental conservation ventures is commendable. This is because mothers commonly exert greater influence on child development and shaping of behaviors [41] hence the females are more likely to propagate their environmentally sensitive knowledge and behaviors to the future generations. Most participants in the current study were in the age bracket of 18-24. Therefore, it is inferred that most of them were youths, since the youthful age-group is defined as individuals between 15 to 48 years old [42]. Given that the majority of respondents in this study were students in the highly active age group (vouths), the

conservation environmental initiatives and climate change advocacies reported in the current study have room to grow in future schools generations, because are critical hotspots for shaping societal behaviors [43]. This study revealed that most schools spent less than 750,000 Uganda Shillings on environmental conservation monthly, but this is considerably small in the face of the ever mounting concerns about the high cost of sustaining impactful community enterprises including environmental conservation and climate change mitigation projects and activities such as massive cultivation of vegetation, irrigation, waste management, awareness creation among others [44].

Regarding the environmental conservation strategies used in the secondary schools in Mbale city, the study has revealed that, to a great extent these align with the international guidelines of the United Nations Environment Programme / UNEP, [26]. The majority of the conservation strategies were in the category of interventions that support conservation of the entire environment in general (land, water, and air), mostly tree planting and preservation of green spaces. Consequently, tree planting is one of the most widespread ecosystem conservation approaches across the world [45]. This approach is very critical because of its proven capacity to facilitate numerous ecological and biodiversity developments. For example, tree planting has



Fig. 8. Barriers hindering the effective utilization of environmental conservation strategies among secondary school students and staff in Mbale City. These barriers impede the effective preservation of the environment, hence escalating the environmental hazards such as floods, land degradation, pollution, and climate change capacity to promote the; preservation of soil [46,47] conservation of birds [48] lowering of environmental temperatures by over 7.4° C, raising humidity by close to 3.9%, [49] enable nutrient cycles, ecological regimes, carbon sequestration and many other ecosystem processes [50]. In the school settings particularly, the widespread prevalence of use of tree planting means of achieving environmental as а conservation and climate change mitigation could be additionally attributed to the socioeconomic benefits which trees offer to the students and staff, such as shelter, fruits (for feeding, teaching, and selling), and ornamentation [51]. Also, the greenness offered by trees and other vegetation has been linked to improvement in academic achievement especially in urban, high-poverty schools [52,53]. Also, most of the agencies of government and NGOs that are championing environmental conservation in academic and non-academic communities in Uganda mainly prioritize their focus towards tree planting among the many potentially viable interventions [54,55,56].

The other category of strategies that were somewhat predominantly reported by the respondents during this study were those that are aimed at conserving water resources, mostly the harvesting of rain water, avoiding dumping wastes in water bodies, and not pouring chemicals in water-ways. As far as the literature review in this research project is concerned, acknowledgement by the school communities in Uganda, that "the harvesting of rain water is a way of conserving the environment" is novel. Massive harvesting of rain water minimizes over dependency on depletable water resources such as surface wells hence facilitating conservative utilization of the latter and avoidance of the ill effects water scarcity [57,58]. The report of avoidance of dumping of wastes in water bodies as a way of conserving the water resources is precedented [59] and is one of the priority recommendations of the United Nations [26]. Though the avoidance of dumping of wastes in water bodies as a way of conserving the water resources was to some extent widely acknowledged to be practiced by the school communities in Mbale city, the burden of solid wastes in water bodies especially rivers in this city continues to be a formidable environmental threat [60]. For example, the solid waste pollution crisis in Mbale city has been linked to the prospectives extinction of all the major rivers such as river Manafwa and river Nabuyonga [11,61,62].

The solid waste crisis in Mbale city and Mbale district at large has also been reported as a major enabler of the rampant eco-disasters such as floods, droughts, and climate change, which are increasingly deterring food security, human health and the economy, a trend that is somewhat similar to the entire East African region [63,64,65]. Nations Office for the Coordination of Humanitarian Affairs (OCHA), [66]. The East African Community (EAC), [67]. United Nations Office for the Coordination of Humanitarian Affairs (OCHA), [68]. Therefore, since the results of this study revealed that schools may not be considerable drivers of the solid waste water pollution burden because of their widespread report of avoiding dumping wastes in water bodies, there is need to upscale this tendency, and to transpose it to the wider communities beyond schools, as a part of the urgently desired action against the already alarming solid waste water pollution crisis in Mbale.

In the current study, the scarcest environmental conservation strategies were those used for mitigating air pollution, of which, the commonest was the use of fume cupboards in laboratories. Despite the observed deficiency of considerable remedies against air pollution, there was evidence that all the schools ratified essential operations with potential to pollute the air. For example, all the schools that were sampled in this research were found to be burning massive volumes wood to cook food to suffice the daily nutritional demands of their large populations. Massive institutional and domestic wood combustion has long been acknowledged as a significant source of air pollution in Uganda and the entire Africa at large, commonly driven by the scarcity and costly nature of climate-smart alternative fuels such as electricity, and Liquified Petroleum Gas (LPG), also known as cooking gas [69,70]. The wood burning vice is frequently associated with critical environmental issues such as deforestation [71]. There is also worry about the detrimental effects on community health, such as onset of chronic coughs and respiratory tract cancers, that come from being around high levels of pollution brought on by massive wood combustion [72]. Historically, respiratory tract illnesses potentially associated with air pollution, including lung cancer. constitute a significant health threat in Uganda [73,74,75]. It has also been shown that trace aerosols and gases such as carbon dioxide and carbon monoxide that are released during the

burning of wood fuel have a grave impacts on the climate and biogeochemical cycles [71].

Warningly, it was observed that some schools involved in the current study got rid of solid wastes by burning them near crops and other vegetation. This action is regrettable since the damages incurred are not limited to air pollution but also deterrence of microhabitats and biodiversity [76]. On the other hand, some other rare environmental conservation approaches observed in this research, such as agroforestry, raising of seedlings, incineration of menstrual pad wastes, and innovative re-use of plastic waste bottles to fabricate dustbins are highly commendable because they inculcate into the students, transferable innovative life skills that are helpful not only to the environment but also to the economic and livelihood wellbeing, food security, and health. The beauty is that the school communities can transfer such vital skills to the general community even many years after leaving school. culminating into an environmentally sustainable society.

The most commonly cited reason for adopting the above environmental conservation and climate change mitigation strategies reported in this research was the fact that the environmentally sensitive contents (environmental education), already were incorporated into the national teaching curriculum hence schools are obliged to implement it. The implication is that schools inevitably, are hubs for incubation of environmentally responsible behaviors in communities, and therefore majority of the individuals who have attained secondary school education in Uganda have received some enlightenment on environmental conservation concepts and are environmentally productive. This report aligns with suggestions of earlier investigators, who have indicated that individuals who have attained a certain level of formal education are more likely to care for the natural environment and to address environmental threats such as climate change than the illiterate [77,78].

The monetary costs associated with the intervention approaches were also prominent determinants of choice of the conservation options. The adoption of environmental conservation technologies basing on their price could be vital because it enables different actors to use the intervention options that they can afford. Moreover, some schools that were enrolled in this research were found to choose the conservation strategies that suited the

generally limited financial capacity of these institutions. However, particular the sole consideration of the finances as a basis for selecting the environmental conservation and climate change mitigation strategies may not be optimally helpful in case the affordable, low-cost interventions are not scientifically suitable enough to address the environmental threats at hand. The observed participation of NGOs such as WaterAid, SOMA foundation Limited, and UNICEF in environmental conservation and climate mitigation advocacies in this research is commendable. This is because climate action is generally an expensive enterprise hence governments and the local communities in lowresource countries like Uganda may not effectively potentiate it without support from NGOs and/or other development partners. Also, the use of waste plastic bottles to innovate solid waste collection baskets that was observed in some schools in this research is an exciting intuitive. Such solid waste re-use projects that warrant to be scaled up in other schools across the country, and the world at large to address the already alarming global solid waste crisis [79,80,81,82].

Pertaining to the knowledge about environmental conservation and climate change mitigation, the 384 respondents were subjected to ten knowledge questions concerning the aspects of environmental conservation and climate change mitigation. The possession of satisfactory knowledge about the subject at hand was inferred if a respondent correctly answered ≥ 70% of the questions. Only 41.9% of the demonstrated respondents satisfactory knowledge about environmental conservation and climate change mitigation, while the 58.1%, had inadequate knowledge. The desire to avert ecological threats like global warming and floods was the commonest perceived reason for conserving the environment, followed by the need of a clean environment for human and wildlife health, and for sustaining essential natural resources such as lakes. These results are in tandem with some previous reports in both academic and non-academic settings [83-86], [87-102].

Pertaining to the integration of environmental conservation into the national school curriculum, the most widespread perception was that the integration level was moderate, while none of the participants, believed that the curriculum did not address the environmental conservation aspects at all. This further ascertains the important roles schools play in nurturing environmental conservation efforts, and the school communities acknowledge and embrace this duty [103-115]. A good attitude towards environmental conservation and climate change mitigation was evident since a great majority of the participants asserted that they would not consider abandoning your current roles as an actor in environmental conservation even in situations where they are neither obliged nor motivated to conserve the environment. Though the majority of the respondents were extremely aware about some of the current critical environmental concerns such as deforestation and water scarcity, a great minority were unfortunately not aware at all about biodiversity loss, climate change, pollution and their linkages to environmental crises. Despite the minimal community awareness about them, biodiversity loss, climate change, and pollution are some of the topmost environmental problems present in and Mbale district at large Mbale citv (https://www.unhabitat.org, 2024) [116-125]. The lack of awareness about essential environmental concerns such as biodiversity loss, and climate change that were observed in the current study needs to be addressed, because low awareness levels have been implicated in promoting environmentally unfriendly actions globally [126,127], [128-140].

The majority of the respondents indicated that the students and staff in the schools under study were only moderately aware of the dangers of climate change and the need to address it. This implies that much as there was widespread perception that environmental conservation aspects were an integral part of the secondarv school curriculum, it was implied that this integration was not optimally facilitating environmental awareness among the school communities. This was in alignment with further observations that only 41.9% of the respondents demonstrated satisfactory knowledge about environmental conservation and climate change mitigation (correctly answered \geq 70% of the questions), while the majority had inadequate knowledge. Therefore, there is need to refocus the school curriculum-implementation in the study area, so as to achieve enhance the outcomes and potential positive impacts of schools on students' communities as far as environmental conservation and its linkages are concerned [141-159].

Finally, our results have shown that the majority of the challenges hindering the effective utilization of environmental conservation strategies in secondary schools in Mbale city were environmental factors such as long dry spells, followed by financial resource scarcities and anthropogenic matters especially the high population. These hindrances generally align with the findings of Shamimu, [160] who reported poverty, population growth, and devastations caused by natura calamites, as some of the commonest challenges impeding the attainment of a sustainable environment in Bugishu subregion where Mbale city is situated.

The lack of financial resources can incur profound negative influence on the majority of the conservation initiatives. For example, money is required for the purchasing of sufficient and high-quality technologies and resources such as garbage baskets and hiring of waste pickers for rational solid waste management [26] seedlings, land, and irrigation apparatus for propagation and preservation of plant resources in the face of [161,162] communication lona drv spells equipment and media services for awareness creation and skilling of communities [28] solar panels, energy saving stoves, and biodigesters environmentally friendly energy sources [69] research investment and oversight monitoring and supervision of environmental conservation projects [161,85] among others. Therefore, financial resource mobilization should be treated as a matter of critical importance by all stakeholders given its widespread influence on other conservation determinants.

rigorous adaptation programs in Likewise, response to the devastating effects of common eco-disasters such as hailstones and floods need to be accorded reasonable attention owing to the severs frustration which these calamities incur to the subsequent conservation initiatives. Such frustrations include the destruction of resources that have a bearing on conservation, such as plants, infrastructural establishments such as schools and roads, human resources, and equipment among others. Though low political will and limited support from stakeholders beyond the school communities was minimally reported, there is a need to address it because political actors are fundamental influencers of environmentally relevant affairs that have profound effects on conservation, for example, supervision and monitoring of environmental development programs [163] policy formulation (Uganda National Environmental Management Authority (NEMA), [164] budgetary allocations and community mindset change [165] among others.

4. CONCLUSION

The environmental conservation strategies used in secondary school communities in Mbale city are multifaceted, predominantly tree planting, harvesting of rain water to mitigate over dependance of depletable sources such as shallow wells, and avoidance of damping wastes in water resources. Interventions against air pollution were profoundly missing. The factors underlying the adoption of those environmental conservation strategies were predominantly geographical events, mostly the existing soil erosion type and intensity, plus the occurrence of rain and dry spells. The perceived desire to avert ecological threats like global warming and floods was the most frequently cited reason for conserving the environment, followed by the need of a clean environment for human and wildlife health, and to sustain the already threatened natural resources such as rivers. The majority of the challenges hindering the effective environmental utilization of conservation strategies were environmental events such as long dry spells, and followed by financial resource scarcities, and anthropogenic factors especially the high population.

5. RECOMMENDATION

The diverse environmental conservation strategies observed in this research, which aligned with guidelines of the United Nations Environment Programme, such as tree planting, harvesting of rain water to mitigate depletion of water other water sources, should be scaled up in the general non-academic communities to avert the persistence environmental disasters in Mbale city and the entire Eastern Uganda at large.

SUPPLEMENTARY MATERIALS

Supplemental files is available in the following link:

https://journalajee.com/index.php/AJEE/libraryFiles/downloadPublic/14

DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative Al technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of manuscripts.

CONSENT

As per international standards or university standards, respondents' written consent has been collected and preserved by the author(s).

ETHICAL APPROVAL

As per international standards or university standards written ethical approval has been collected and preserved by the author(s).

ACKNOWLEDGEMENTS

We wish to thank Mbale City Authority, and the Resident City Commissioner (RCC), and the City Environmental officer who authorized this study. We also thank the administrators of schools and other members of the general school communities that authorized and/or participated in this research.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

- World Health Organisation (WHO). We must fight one of the world's biggest health threats: climate change; 2023. Available:https://www.who.int/newsroom/commentaries/detail/we-must-fightone-of-the-world-s-biggest-health-threatsclimate-change
- 2. World Meteorological Organization (WMO). State of the Climate in Africa; 2020. Available:https://wmo.int/publicationseries/state-of-climate-africa#:~:text=The rate of temperature increase,eighth warmest year on record
- World Bank Group. Groundswell Part 2: Acting on Internal Climate Migration; 2021. Available:https://openknowledge.worldban k.org/entities/publication/2c9150df-52c3-58ed-9075-d78ea56c3267
- Ehui S, Rigaud KK. Climate migration deepening our solutions; 2022. Available:https://blogs.worldbank.org/clima techange/climate-migration-deepening-oursolutions#:~:text=The authors find that%2C as,within their countries by 2050
 United Nations (UN). What Is Climate
- United Nations (UN). What Is Climate Change?; 2023. Available:https://www.un.org/en/climatecha nge/what-is-climate-change

- Goniewicz K, Khorram-Manesh A, Burkle FM. Beyond boundaries: Addressing climate change, violence, and public health. Prehospital and Disaster Medicine. 2023;38(5):551–554. Available:https://doi.org/https://doi.org/10.1 017/S1049023X23006271
- Dieveney P. Indeterminacy in global warming: A supervaluationist response. Utilitas. 2023;35(2):148–163. Available:https://doi.org/https://doi.org/10.1 017/S0953820823000067
- Dilanchiev A, Nuta F, Khan I, Khan H. Urbanization, renewable energy production, and carbon dioxide emission in BSEC member states: Implications for climate change mitigation and energy markets. Environmental Science and Pollution Research. 2023;1–13. Available:https://doi.org/https://doi.org/10.1 007/s11356-023-27221-9
- Edelson PJ, Harold R, Ackelsberg J, Duchin JS, Lawrence SJ, Manabe YC, Zahn M, LaRocque RC. Climate change and the epidemiology of infectious diseases in the United States. Clinical Infectious Diseases. 2023;76(5):950–956. Available:https://doi.org/https://doi.org/10.1 093/cid/ciac697
- 10. Matembu G. Contamination of R. Nabuyonga, a catchment if R. Mpologoma; 2019.
- New Vision News Paper. Ugandas' rivers chocking on plastics. 2–3; 2023b. Available:https://www.newvision.co.ug/cate gory/report/ugandas-rivers-choking-onplastics-NV_161154
- 12. Nakate Vanessa. At least 29 people dead as flash flooding hits eastern Uganda. The Guardian News Paper; 2022. Available:https://www.theguardian.com/glo bal-development/2022/aug/03/easternuganda-flash-fooding-rainfall-mbale
- Härtel T, Randler C, Baur A. Using species knowledge to promote pro-environmental attitudes? The association among species knowledge, environmental system knowledge and attitude towards the environment in secondary school students. Animals. 2023;13(6):972. Available:https://doi.org/https://doi.org/10.3 390/ani13060972
- Mongar K. The impacts of environmental science on Bhutanese students' environmental sustainability competences. Australian Journal of Environmental Education. 2023;1–15.

Available:https://doi.org/https://doi.org/10.1 017/aee.2023.2

15. Aruta JJBR Science literacv promotes energy conservation behaviors in Filipino youth via climate change knowledge efficacy: Evidence from PISA 2018. Australian Journal of Education. Environmental 2023;39(1): 55-66. Available:https://doi.org/https://doi.org/10.1

017/aee. 2022.10

- 16. Christ L, Dreesmann DC. Protect+ prevent= preserve? Exploring students' arguments for and attitudes toward conservation. Environmental Education Research. 2023;29(1):45–62. Available:https://doi.org/https://doi.org/10.1 080/13504622.2022.2128059
- Syvertsen AK, Scales PC, Wu CY, Sullivan TK. Promoting character through developmental experiences in conservation service youth programs. The Journal of Positive Psychology. 2023;1–15; Available:https://doi.org/https://doi.org/10.1 080/17439760.2023.2218331
- Creswell JW, Creswell JD. Research design: Qualitative, quantitative, and mixed methods approaches. Sage publications; 2017. Available:http://www.ceil-conicet. gov. ar/ wp-content/uploads/2015/10/Creswell-Cap-10.pdf
- Poth CN. Confronting complex problems with adaptive mixed methods research practices. Caribbean Journal of Mixed Methods Research. 2020;1(1):29–46. Available:https://www.mmiracc.com/_files/ ugd/01fe3f_10c6918eb80c49e7976d80536 c6bdd50.pdf#page=49
- Warsame AE, Ssenku JE, Mpagi JL, Iramiot SJ, Okurut SA, Kudamba A, Nkambo M, Namuli A, Nakizito J, Gidudu G. The Malaria-Poverty Dilemma in Peri-Urban University Communities in Eastern Uganda; 2021.
- 21. Cohen L, Manion L, Morrison K. Research methods in education. Routledge; 2002. Available:https://ds.amu.edu.et/xmlui/bitstr eam/handle/123456789/2490/Research-Methods-in-Education-sixthedition.pdf?sequence=1&isAllowed=y
- Fischer AA, Laing JE, Townsend JW. Hand book of family planning operations research design, population council. New York; 2018.

Available:https://doi.org/10.31899/rh10.103 9 23. Castleberry A, Nolen A. Thematic analysis of qualitative research data: Is it as easy as it sounds? Currents in Pharmacy Teaching and Learning. 2018;10(6):807– 815.

Available:https://www.sciencedirect.com/sc ience/article/abs/pii/S1877129717300606

- 24. Kumar NK. Informed consent: Past and present. Perspectives in Clinical Research. 2013;4(1):21–25. Available:https://journals.lww.com/picp/fullt ext/2013/04010/Informed_consent__Past_ and_present.6.aspx
- 25. Chatterjee S, Kieselbach B, Naik S, Kumar S, John S, Balaji M, Koschorke M, Dabholkar H, Varghese M, Patel V. Customising informed consent procedures for people with schizophrenia in India. Social Psychiatry and Psychiatric Epidemiology. 2015;50:1527–1536. Available:https://www.academia.edu/downl oad/92558155/s00127-015-1037y20221017-1-12nlo4q.pdf
- United Nations Environment Programme (UNEP). Monitoring plastics in rivers and lakes: Guidelines for the harmonization of methodologies; 2020. Available:https://wedocs.unep.org/bitstrea m/handle/20.500.11822/35405/MPRL.pdf
- 27. Piras S, Righi S, Banchelli F, Giordano C, Setti Μ. Food waste between environmental education, peers, and family primary influence. Insights from students Northern Italy. school in Journal of Cleaner Production. 2023;383: 135461.
- Moody-Marshall R. An investigation of environmental awareness and practice among a sample of undergraduate students in Belize. Environmental Education Research. 2023;29(7):911–928. Available:https://doi.org/https://doi.org/10.1 080/13504622.2022.2079613
- 29. Matsekoleng TK, Mapotse TA, Gumbo MT. The role of indigenous games in education: A technology and environmental education perspective. Diaspora, Indigenous, and Minority Education. 2024;18(1):68–82. Available:https://scholar.google.com/schol ar?output=instlink&q=info:38h2cjyuMLEJ:s cholar.google.com/&hl=en&as_sdt=0,5&as _ylo=2024&scillfp=4510695281557285894 &oi=lle
- 30. Reiners DS, Reiners WA, Lockwood JA. The relationship between environmental advocacy, values, and science: A survey of ecological scientists' attitudes. Ecological

Applications. 2013;23(5):1226–1242. Available:https://scholar.google.com/schol ar?output=instlink&q=info:juz8Cn1-T7QJ:scholar.google.com/&hl=en&as_sdt= 0,5&scillfp=7766842087407542795&oi=lle

- Ssenku JE, Okurut SA, Namuli A, Kudamba A, Tugume P, Matovu P, Wasige G, Kafeero HM, Walusansa A. Medicinal plant use, conservation, and the associated traditional knowledge in rural communities in Eastern Uganda. Tropical Medicine and Health. 2022;50(1):1–10. Available:https://doi.org/https://doi.org/10.1 186/s41182-022-00428-1
- 32. Unay-Gailhard I, Bojnec Š. Gender and the environmental concerns of young farmers: Do young women farmers make a difference on family farms? Journal of Rural Studies. 2021;88:71–82. Available: https://www.sciencedirect.com/science/arti cle/pii/S0743016721002916
- 33. Gikonyo JM, Agwata JF, Anyango SO. Assessing the factors influencing effectiveness of environmental programmes in secondary schools in Muranga County, Kenya. International Journal of Educational Policy Research and Review. 2022;9(4):88. Available:https://doi.org/https://doi.org/10.1 5739/IJEPRR.22.010
- 34. Shemdoe Z. Towards integration of sustainable environmental and biodiversity conservation in secondary schools students extra-curricular in Tanzania, where do we start. International Journal of African and Asian Studies. 2015;16. Available:https://core.ac.uk/download/pdf/2 34690026.pdf
- 35. Catherine M, Christopher F, Benefansi I, Alex K. Anaylsis of students' enrollment and graduation rates in gulu university in Uganda. A Case Study of Gulu University; 2023.

Available:https://www.researchgate.net/pro file/Fridav-

Christopher/publication/368923703_Anayls is_of_Students'_Enrollment_and_Graduati on_Rates_in_Gulu_University_in_Uganda _A_Case_Study_of_Gulu_University/links/ 6400c5980cf1030a5667690d/Anaylsis-of-Students-Enrollment

 Nafula J. Girls now outnumber boys at Makerere. Daily Monitor News Paper; 2022.

Available:https://www.monitor.co.ug/ugand a/news/education/girls-now-outnumberboys-at-makerere-3729022 Kakuba C, Nzabona A, Asiimwe JB, Tuyiragize R, Mushomi J. Who accesses secondary schooling in Uganda; Was the universal secondary education policy ubiquitously effective? International Journal of Educational Development. 2021; 83:102370.

Available:https://doi.org/https://doi.org/10.1 016/j.ijedudev.2021.102370

- Kakuba C. Access to secondary schooling by the youth in Uganda: Have inequalities been eclipsed. Enfants et Jeunes Hors Les Liens En Afrique de l'Est. 2015; 205–218.
- 39. UBOS I. Uganda Bureau of statistics (UBOS) and ICF. 2018. Uganda Demographic and Health Survey; 2016.
- 40. The World Bank. Girls' Education; 2024. Available:https://www.worldbank.org/en/top ic/girlseducation
- Seraj Shirvan F, Moradi M, Latifnejad Ruodsari R. A systematic review of the childbearing needs of single-child couples. BMC Women's Health. 2024;24(1):83. Available:https://scholar.google.com/schol ar?output=instlink&q=info:KNyjYCaz8cJ:scholar.google.com/&hl=en&as_sdt= 0,5&as_ylo=2024&scillfp=9771403484792 962831&oi=lle
- 42. Lin Z, Yang R, Li K, Yi G, Li Z, Guo J, Zhang Z, Junxiang P, Liu Y, Qi S. Establishment of age group classification for risk stratification in glioma patients. BMC Neurology. 2020;20(1):1–11.
- 43. Hendricks EA, Mutongoza BH. Drivers of learner aggression in selected schools in the amathole district municipality in South Africa. Southern African Journal of Social Work and Social Development, 19-pages; 2024.

Available:https://unisapressjournals.co.za/i ndex.php/SWPR/article/view/13936/7598

44. Shinyekwa IMB, Bulime EWN, Luwedde J, Birabwa Aliro E, Kajumba MM, Nattabi AK. Identifying commodity-specific priority investments in selected districts of Uganda. Food and Agriculture Org; 2023.

> Available:https://books.google.com/books? hl=en&Ir=&id=_unXEAAAQBAJ&oi=fnd&pg =PR5&dq=high+cost+of+seedlings+in+uga nda&ots=MM4pX5fRMJ&sig=ZM7zKX54b 4tHR5NJfWXBqRtNpok

45. Duguma LA, Minang PA, Aynekulu BE, Carsan S, Nzyoka J, Bah A, Jamnadass RH. From tree planting to tree growing: Rethinking ecosystem restoration through tree. World Agroforestry Working Paper; 2020.

Available:https://cgspace.cgiar.org/bitstrea m/10568/111525/2/WP20001.pdf

46. Brancalion PHS, Holl KD. Guidance for successful tree planting initiatives. Journal of Applied Ecology. 2020;57(12):2349– 2361.

Available:https://besjournals.onlinelibrary.w iley.com/doi/full/10.1111/1365-2664.13725

- 47. Hamilton A. Plant conservation: an ecosystem approach. Routledge; 2013. Available:https://www.taylorfrancis.com/bo oks/mono/10.4324/9781849772181/plantconservation-alan-hamilton
- 48. Douglas DJT, Nalwanga D, Katebaka R, Atkinson PW, Pomeroy DE, Nkuutu D, Vickery JA. The importance of native trees for forest bird conservation in tropical farmland. Animal Conservation. 2014;17 (3):256–264. Available:https://scholar.google.com/schol

ar?output=instlink&q=info:V_6B2853IBEJ:s cholar.google.com/&hl=en&as_sdt=0,5&sci llfp=10218378333759155192&oi=lle

- Hidayat IW. The ecological role of trees and their interactions in forming the microclimate amenity of environment. J Bumi Lestari. 2010;10(2):182–190. Available:https://www.academia.edu/downl oad/55779662/Jurnal Bumi Lestari.pdf
- Lindenmayer DB, Laurance WF. The ecology, distribution, conservation and management of large old trees. Biological Reviews. 2017;92(3):1434–1458.
 Available:https://scholar.google.com/schol ar?output=instlink&q=info:mhToajLyxWwJ: scholar.google.com/&hl=en&as sdt=0.5&s

cillfp=14791698300506234614&oi=lle Scott JT, Kilmer RP, Wang C, Cook JR, 51. Haber MG. Natural environments near schools: Potential benefits for socio-emotional behavioral and development in early childhood. American Journal of Community Psychology. 2018; 62(3-4):419-432. Available:https://scholar.google.com/schol ar?output=instlink&q=info:PEaWSXhTascJ :scholar.google.com/&hl=en&as sdt=0.5&s

cillfp=3892560965632536267&oi=lle
52. Kuo M, Browning MHEM, Sachdeva S, Lee K, Westphal L. Might school performance grow on trees? Examining the link between "greenness" and academic achievement in urban, high-poverty schools. Frontiers in Psychology. 2018;9:320185.

Available:https://www.frontiersin.org/journa ls/psychology/articles/10.3389/fpsyg.2018. 01669/full

- 53. Sivarajah S, Smith SM, Thomas SC. Tree cover and species composition effects on academic performance of primary school students. Plos One. 2018;13(2):e0193254. Available:https://journals.plos.org/plosone/ article?id=10.1371/journal.pone.0193254
- 54. Child K. Civil society in Uganda: The struggle to save the Mabira Forest Reserve. Journal of Eastern African Studies. 2009;3(2):240–258. Available:https://scholar.google.com/schol ar?output=instlink&q=info:pRMaMLr_C_cJ: scholar.google.com/&hl=en&as_sdt=0,5&s cillfp=15600251856054660754&oi=lle
- Ngome CS, Yeom C. Charting Sustainable Paths: Balancing Urban Green Dilemmas in East Africa; 2024. Available:http://apjcriweb.org/content/vol10 no1/23.pdf
- 56. Omeja PA, Chapman CA, Obua J, Lwanga JS, Jacob AL, Wanyama F, Mugenyi R. Intensive tree planting facilitates tropical forest biodiversity and biomass accumulation in Kibale National Park, Uganda. Forest Ecology and Management. 2011;261(3):703–709.

Available:https://nru.uncst.go.ug/bitstream/ handle/123456789/6878/Intensive tree planting facilitates tropical forest biodiversity and biomass accumulation in Kibale National Park, Uganda. pdf? sequence=1

- 57. Kirkby J, O'Keefe P, Timberlake L. The Earthscan reader in sustainable development. Taylor and Francis; 2023. Available:https://books.google.com/books? hl=en&Ir=&id=kcWrEAAAQBAJ&oi=fnd&pg =PT7&dq=+rain+water+minimizes+over+d ependency+on+depletable+water+resourc es+like+wells+hence+facilitating+conserva tive+utilization+of+the+latter+&ots=jc9OqD A2MY&sig=enuG0DpNAMWc_3zD7QWEZ 3IC
- 58. Soto D, Aguilar-Manjarrez J, Brugère C, Angel D, Bailey C, Black K, Edwards P, Costa-Pierce B, Chopin T, Deudero S. Applying an ecosystem-based approach to aquaculture: Principles, scales and some management measures. Building an Ecosystem Approach to Aquaculture. FAO/Universitat de Les Illes Balears Expert Workshop. 2017;7:e11. Available:https://www.fao.org/3/i0339e/i03 39e02.pdf

- 59. Ochuko MO. Solid waste management in obantoko area of abeokuta, Nigeria. Journal of Emerging Trends in Engineering and Applied Sciences. 2024;5(2):111–115. Available:https://www.scholarlinkinstitute.or g/jeteas/articles/Solid Waste Management in Obantoko.pdf
- Fred Wambede. Mbale city profiling report. Daily Mornitor; 2020. Available:https://www.monitor.co.ug/ugand a/news/national/mbale-district-councilapproves-city-divisions-1810940
- 61. New Vision News Paper. Why Elgon's lost Rivers need saving; 2023a. Available:https://www.newvision.co.ug/new s/1495557/elgon-lost-rivers-saving
- Valle Jr DL, Andrade JI, Puzon JJM, Cabrera EC, Rivera WL. Antibacterial activities of ethanol extracts of Philippine medicinal plants against multidrugresistant bacteria. Asian Pacific Journal of Tropical Biomedicine. 2019;5(7): 532–540.
- 63. Busingye A. Floods in Eastern Uganda kill at least 30 people and leave 400,000 without access to clean water; 2022. Available:https://reliefweb.int/report/ugand a/floods-eastern-uganda-kill-least-30people-and-leave-400000-without-accessclean-water
- 64. Kintunzi Y. Residents ask govt to build barriers to control floods; 2019. Available:https://reliefweb.int/report/ugand a/residents-ask-govt-build-barriers-controlfloods
- 65. Nabusoba I, Nampala Moses. Manafwa, Butalejja floods leave 8200 residents devastated. New Vission News Paper; 2018. Available:https://www.newvision.co.ug/new s/1293084/manafwa-butaleja-floods-leave-8200-residents-8200-devastated
- 66. Nations Office for the Coordination of Humanitarian Affairs (OCHA). Uganda's Perennial Floods Cast the Spotlight on the Region's Climate Change-Related Disasters; 2022. Available:https://reliefweb.int/report/ugand a/ugandas-perennial-floods-cast-spotlightregions-climate-change-related-disasters
- 67. The East African Community (EAC). Floods and Conflicts the major cause of Disasters in East Africa; 2023. Available:https://www.eac.int/pressreleases/144-environment-naturalresources/863-floods-and-conflicts-themajor-cause-of-disasters-in-east-africa

- 68. United Nations Office for the Coordination of Humanitarian Affairs (OCHA). From drought to flooding in the east; 2018. Available:https://reliefweb.int/report/ugand a/drought-flooding-east
- Etchie AT, Etchie TO, Elemile OO, Boladale O, Oni T, Akanno I, Bankole DT, Ibitoye OO, Pillarisetti A, Sivanesan S. Burn to kill: Wood ash a silent killer in Africa. Science of the Total Environment. 2020;748:141316. Available:https://www.academia.edu/downl
- oad/87258934/8_Burn_to_kill.pdf 70. Faisal B, Kapella J, Vicent S. Household air pollution and household health in Uganda. Development Southern Africa. 2021;38(3):437–453. Available:https://scholar.google.com/schol ar?output=instlink&q=info:ceb9R53moJ8J: scholar.google.com/&hl=en&as_sdt=0,5&s cillfp=1982988214345264424&oi=lle
- Ludwig J, Marufu LT, Huber B, Andreae MO, Helas G. Domestic combustion of biomass fuels in developing countries: A major source of atmospheric pollutants. Journal of Atmospheric Chemistry. 2003; 44:23–37. Available:https://link.springer.com/content/

Available:https://link.springer.com/content/ pdf/10.1023/A:1022159910667.pdf

72. Ding N, Zhou N, Zhou M, Ren GM. Respiratory cancers and pollution. European Review for Medical and Pharmacological Sciences. 2015; 19(1).

Available:https://www.europeanreview.org/ wp/wp-content/uploads/31-37.pdf

- 73. Bogere N, Bongomin F, Katende A, Omaido BA, Namukwaya E, Mayanja-Kizza H, Walusansa V. A 10-year retrospective study of lung cancer in Uganda. BMC Cancer. 2022;22(1):204. Available:https://scholar.google.com/schol ar?output=instlink&q=info:eAyMaAZ7w78J: scholar.google.com/&hl=en&as_sdt=0,5&s cillfp=7834481619614006871&oi=lle
- Kakande I, Ekwaro L, Obote WW, NassaLi G, Kakande RI, Kabuye S. The pattern of cancer in Kampala, Uganda. East and Central African Journal of Surgery. 2001;6(1). Available:https://www.ajol.info/index.php/e

cajs/article/view/136533/126026

75. Kirenga BJ, Nakiyingi L, Worodria W, Okot-Nwang M. Chronic respiratory diseases in a tertiary healthcare facility in Uganda. African Journal of Respiratory Medicine. 2013;8(2). Available:https://www.academia.edu/downl oad/43847615/Chronic_respiratory_diseas es_in_a_tertia20160318-9374-1061ngs.pdf

76. Canedo-Júnior EO, Cuissi RG, De Almeida Curi NH, Demetrio GR, Lasmar CJ, Malves K, Ribas CR. Can anthropic fires affect epigaeic and hypogaeic Cerrado ant (Hymenoptera: Formicidae) communities in the same way? Revista de Biología Tropical. 2016;64(1): 95–104.

Available:https://www.scielo.sa.cr/pdf/rbt/v 64n1/0034-7744-rbt-64-01-00095.pdf

Gallagher AM, O'Kane SM, Doherty LC, 77. Faulkner M, McDermott G, Jago R, Lahart IM, Murphy MH, Carlin A. Including us, talking to us and creating a safe environment-Youth patient and public Walking involvement and the In ScHools (WISH) Study: Lessons learned. Health Expectations. 2024;27(1): e13885.

Available:https://scholar.google.com/schol ar?output=instlink&q=info:CXA7rpzqqOgJ: scholar.google.com/&hl=en&as_sdt=0,5&a s_ylo=2024&scillfp=130494266603508366 11&oi=lle

 78. Gifford R. The dragons of inaction: Psychological barriers that limit climate change mitigation and adaptation. American Psychologist. 2011;66(4): 290. Available:https://moodle2.units.it/pluginfile. php/466385/mod_resource/content/0/2001

the Dragons of Inaction.pdf

- Mahadevan K, Prakash V. A review on solid waste: Its impact on air and water quality. Journal of Pollution Effects and Control. 2020;8(4):1–3. Available:https://www.academia.edu/downl oad/85076515/a-review-on-solid-waste-itsimpact-on-air-and-water-quality.pdf
- 80. Okot-Okumu J. Solid waste management in African cities–East Africa. Waste Management–An Integrated Vision; 2021.

Available:https://www.intechopen.com/cha pters/40527

- 81. World Bank Group. Solid Waste Management (MOOC). Open learning campus; 2020. Available:https://olc.worldbank.org/content/ solid-waste-management-mooc
- World Health Organization (WHO). Solid waste. In: Compendium of WHO and other UN guidance on health and environmentGeneva; 2021.

Available:https://cdn.who.int/media/docs/d efault-source/who-compendium-on-healthand-

environment/who_compendium_chapter4_ v2 01092021.pdf?sfvrsn=b4e99edc 5

 Bhanya CH, Pankajam R. Environmental awareness among secondary school students. International Journal of Research Granthaalayah. 2017;5(5):22– 26.

Available:https://doi.org/10.5281/zenodo.5 74858

84. Díaz-López C, Serrano-Jiménez Α, Chacartegui R, Becerra-Villanueva JA, Molina-Huelva M, Á. Barrios-Padura analysis Sensitivity of trends in environmental education in schools and its implications in the built environment. Environmental Development. 2023:45: 100795.

Available:https://www.sciencedirect.com/sc ience/article/pii/S2211464522000975

85. Marpa E. Navigating environmental education practices to promote environmental awareness and education. International Journal on Studies in Education. 2020;2(1):45–57.

Available:https://doi.org/10.46328/ijonse.8
86. Mizan-Rahman M. Unless someone like you cares a whole awful lot, nothing is going to get better: An environmental discourse analysis of animated films The Lorax (2012) and Tomorrow (2019). Geoscience Communication. 2024;7(1):

63-79.

Available:https://gc.copernicus.org/articles/ 7/63/2024/

- Abbas A, Ekowati D, Suhariadi F, Fenitra RM. Health implications, leaders societies, and climate change: A global review. Ecological Footprints of Climate Change: Adaptive Approaches and Sustainability. 2023;653–675.
- Available:https://repository.unair.ac.id/124 754/1/9.3_DianEkowati_Turnitin_GlobalHe alth%2CSustainable.pdf
- Adhikari A. Socio-educational perspectives: A study on human adjustment. EPRA International Journal of Research and Development (IJRD). 2023; 8(1):97–101. Available:https://www.eprajournals.net/inde

x.php/IJRD/article/download/1401/1411

90. Akbar H, Bibi W, Inamullah HM, Ullah A. Analysis of environmental activism in high schools in district peshawar. Journal of Positive School Psychology. 2023;1411–1419.

Available:https://journalppw.com/index.php /jpsp/article/download/15572/10022

- 91. Al-Gaseem MM, Khasawneh MAS. Environmental Orientation for Art Teachers Education Program (EOATEP). Journal of Higher Education Theory and Practice. 2023;23(12):209–223. Available:https://search.proquest.com/ope nview/ffae82d5ec830a4c9bd41c8a9a68a1 eb/1?pq-origsite=gscholar&cbl=766331
- 92. Bielefeldt AR, Polmear M, Canney N, Swan C, Knight D. Ethics education of undergraduate and graduate students in environmental engineering and related disciplines. Environmental Engineering Science. 2018;35(7):684–695. Available:https://www.liebertpub.com/doi/p df/10.1089/ees.2017.0308?casa_token=e4 H2EhXShAkAAAAA:nlYuX2vo5UmegKaM Q1uNNjOAI9n4Ut7JvGWTKPVppvFo2Kb M7c_HfC-h-

pMrXaAom1am7R3702ZxFWt7Tw

93. Bladow J. Integrating environmental education into teacher preparation programs. The University of North Dakota; 2023.

Available:https://commons.und.edu/cgi/vie wcontent.cgi?article=6218&context=theses

94. Chatzifotiou A. Environmental education, national curriculum and primary school teachers. Findings of a research study in England and possible implications upon education for sustainable development. The Curriculum Journal. 2006;17(4):367– 381.

> Available:https://scholar.google.com/schol ar?output=instlink&q=info:4qNx_TO8a5kJ: scholar.google.com/&hl=en&as_sdt=0,5&s cillfp=10108403499459299425&oi=lle

95. Christie BA, Miller KK, Cooke R, White JG. Environmental sustainability in higher education: What do academics think? Environmental Education Research. 2015; 21(5):655–686. Available:https://scholar.google.com/schol ar?output=instlink&q=info:I60p1JLFAN8J:s cholar.google.com/&hl=en&as_sdt=0,5&sci Ilfp=10362639477840769545&oi=Ile

 Cincera J, Kroufek R, Bogner FX. The perceived effect of environmental and sustainability education on environmental literacy of Czech teenagers. Environmental Education Research. 2023;29(9):1276– 1293. Available:https://scholar.google.com/schol ar?output=instlink&q=info:BXxfUSnRafEJ: scholar.google.com/&hl=en&as_sdt=0,5&a s_ylo=2023&scillfp=550921067184973722 8&oi=lle

97. Damoah B, Omodan BI. Tracing The Footprints of Environmental Education in Teacher Education: A Review of Pre-Service Teachers' Training in Universities; 2023.

> Available:https://digibug.ugr.es/bitstream/h andle/10481/84089/184196_JETT1405020 %2B%2BID%2B1451.pdf?sequence=1&is Allowed=y

- 98. De Freitas Neto OC, Penha Filho RAC, Barrow P, Berchieri Junior A. Sources of human non-typhoid salmonellosis: A review. Brazilian Journal of Poultry Science. 2010;12:1–11.
- 99. Dhull P, Verma G. Environmental education in teacher education and challenges. Environmental Education. 2017;2(5).

Available:https://www.researchgate.net/pro file/Gunjan-Verma-

7/publication/332446189_Environmental_E ducation_in_Teacher_Education_and_Cha llenges/links/5d4e61154585153e5949f974/ Environmental-Education-in-Teacher-Education-and-Challenges.pdf

 Dillon J, Herman B. Environmental education. In Handbook of research on science education. Routledge. 2023;717– 748.

> Available:https://api.taylorfrancis.com/cont ent/chapters/edit/download?identifierName =doi&identifierValue=10.4324/9780367855 758-27&type=chapterpdf

 Dorninger C, Menéndez LP, Caniglia G. Social-ecological niche construction for sustainability: Understanding destructive processes and exploring regenerative potentials. Philosophical Transactions of the Royal Society B. 2024;379 (1893): 20220431.

> Available:https://scholar.google.com/schol ar?output=instlink&q=info:Rczqd_9OSxkJ: scholar.google.com/&hl=en&as_sdt=0,5&a s_ylo=2023&scillfp=110794158084045313 54&oi=lle

102. Ejembi EJ. Determining the level of students' awareness and attitude towards environmental education in Benue state. Niger Delta Research Journal (NDRJ). 2018;1(1):36–50. Available:https://scholar.google.com/schol ar?output=instlink&q=info:vt_Qf9HSfDoJ:s cholar.google.com/&hl=en&as_sdt=0,5&sci llfp=8872203121180635110&oi=lle

103. Émelie C. United nations conference on the environment after the rio dejaneiro of 1992: It's implications for environmental protection. Chukwuemeka Odumegwu Ojukwu University Journal of Private and Public Law. 2020;2(1). Available:https://nigerianjournalsonline.co m/index.php/COOUJPPL/article/viewFile/6

48/634 104. Erhabor NI, Don JU. Impact of environmental education on the knowledge and attitude of students towards the environment. International Journal of Environmental and Science Education. 2016;11(12):5367-5375.

Available:https://files.eric.ed.gov/fulltext/EJ 1115646.pdf

- 105. Fandos-Herrera C, Jiménez-Martínez J, Orús C, Pérez-Rueda A, Pina JM. The personality on learning influence of outcomes and attitudes: The case of discussants in the classroom. The International Journal of Management Education. 2023;21(1):100754. Available:https://www.sciencedirect.com/sc ience/article/pii/S1472811722001562
- 106. Fazio X, Karrow DD. Negotiating the constraints of schools: Environmental education practices within a school district. Environmental Education Research. 2013; 19(5):639–655. Available:https://scholar.google.com/schol ar?output=instlink&q=info:Sk-ClqYovTcJ:scholar.google.com/&hl=en&as _sdt=0,5&scillfp=1800901973431148596& oi=lle
 107. Fontes P.I. Action competence as an
- 107. Fontes PJ. Action competence as an integrating objective for environmental education. Canadian Journal of Environmental Education. 2004;9(1):148– 162. Available:https://files.eric.ed.gov/fulltext/EJ

Available:https://files.eric.ed.gov/fulltext/EJ 881769.pdf

- 108. Frdhlich M. The Global Forum. Global Governance. 2021;27:167– 177. Available:https://heinonline.org/hol-cgibin/get_pdf.cgi?handle=hein.journals/glogo 27§ion=10
- 109. Gaus N. Selecting research approaches and research designs: A reflective essay. Qualitative Research Journal. 2017; 17 (2):99–112.

Available:https://www.depts.ttu.edu/educati on/our-

people/Faculty/additional_pages/duemer/e psy_5382_class_materials/2019/Selecting _research_approaches_and_research_des igns_a_reflective_essay_Gaus_2017.pdf

- 110. Gillett M. The tbilisi declaration. McGill Journal of Education/Revue Des Sciences de l'éducation de McGill. 1977;12(002). Available:http://mje.mcgill.ca/article/downlo ad/7156/5095
- 111. Government of the Republic of Uganda. Uganda Vision 2040; 2014. Available:https://consultations.worldbank.o rg/content/dam/sites/consultations/doc/mig ration/vision20204011.pdf
- 112. Grimmette KA. The impacts of environmental education on youth and their environmental awareness; 2014.

Available:https://digitalcommons.unl.edu/c gi/viewcontent.cgi?article=1134&context=e nvstudtheses

113. Handl G. Declaration of the United Nations conference on the human environment (Stockholm Declaration), 1972 and the Rio Declaration on Environment and Development, 1992. United Nations Audiovisual Library of International Law. 2012;11(6).

Available:https://www.globalhealthrights.or g/wp-content/uploads/2014/06/Stockholm-Declaration1.pdf

114. Holt D. The role and impact of the business school curriculum in shaping environmental education at Middlesex University. International Journal of Sustainability in Higher Education. 2003;4(4):324–343. Available:https://scholar.google.com/schol

ar?output=instlink&q=info:gNFEAb2PCZEJ :scholar.google.com/&hl=en&as_sdt=0,5& scillfp=7122247422262269478&oi=lle

- 115. Available:https://www.unhabitat.org. (2024). Mbale Urban Profile - Uganda. https://issuu.com/unhabitat/docs/mbale_ur ban_profile_-_uganda#:~:text=Environment and Climate Change Serious,a result of climate change.
- 116. İstanbullu RA. Investigation of environmental literacy of sixth grades at a private school. Middle East Technical University; 2008. Available:https://open.metu.edu.tr/bitstrea m/handle/11511/17930/index.pdf?sequenc

e=1

117. Jita LC, Mokhele ML. The role of lead teachers in instructional leadership: A case study of environmental learning in South Africa. Education as Change. 2013;17.
Available:https://search.ebscohost.com/log in.aspx?direct=true&profile=ehost&scope= site&authtype=crawler&jrnl=16823206&AN =93279416&h=jtrwti34vo5N1iZ0nh0jnTSP JuiqMcqRZK0j%2FO%2FnwfDoRYz76F0x UTuHFdnLa3afkcalYyVX%2BUIDKcXYyIM

- iDg%3D%3D&crl=c 118. Joos L. Only One Earth: Environmental Perceptions and Policies before the Stockholm Conference, 1968–1972. Journal of Global History, 1–23; 2023. Available:https://www.cambridge.org/core/ services/aop-cambridgecore/content/view/3DF642E397EC69DAD A23C20B35C6DDE2/S174002282300001 3a.pdf/div-class-title-only-one-earthenvironmental-perceptions-and-policiesbefore-the-stockholm-conference-1968-1972-div.pdf
- Joseph B, Joseph A, Cleetus A, Kuriakose L, Joy ST. Crossover learning is an innovative strategy for environmental education. Journal of Survey in Fisheries Sciences. 2023;10(2S):2285–2291. Available:http://sifisheriessciences.com/jou rnal/index.php/journal/article/download/121 5/1233
- 120. Khamala GW, Makokha JW, Boiyo R, Kumar KR. Spatiotemporal analysis of absorbing aerosols and radiative forcing over environmentally distinct stations in East Africa during 2001–2018. Science of The Total Environment. 2023;864:161041. Available:https://www.sciencedirect.com/sc ience/article/pii/S004896972208144X
- 121. Kimaryo LA. Integrating environmental education in primary school education in Tanzania: Teachers' perceptions and teaching practices; 2011. Available:https://www.doria.fi/bitstream/han dle/10024/67481/kimaryo_lydia.pdf?...1
- 122. Kitunzi Y. Eastern region most hit by climate change, experts warn. The Operator News Paper; 2022. Available:https://thecooperator.news/easte rn-region-most-hit-by-climate-changeexperts-warn/
- 123. Kothari CR. Research methodology: Methods and techniques. New Age International; 2004.
- 124. Lehmann S. Reconnecting with nature: Developing urban spaces in the age of

climate change. Emerald Open Research. 2023;1(5).

Available:https://www.emerald.com/insight/ content/doi/10.1108/EOR-05-2023-0001/full/html

125. LI X, LIU Z, LUO J, JIN T, JIA Y, WU Y. The phenomenon and mechanism of intergenerational transmission of proenvironmental attitudes and behaviors. Advances in Psychological Science. 2023; 31(7):1254. Available:https://journal.psych.ac.cn/xlkxjz/

EN/article/downloadArticleFile.do?attachTy pe=PDF&id=6662

- 126. Abbass K, Qasim MZ, Song H, Murshed M, Mahmood H, Younis I. A review of the global climate change impacts, adaptation, and sustainable mitigation measures. Environmental Science and Pollution Research. 2022;29(28):42539–42559.
- 127. Ferronato N, Torretta V. Waste mismanagement in developing countries: A review of global issues. International Journal of Environmental Research and Public Health. 2019;16(6):1060. Available:https://scholar.google.com/schol ar?output=instlink&q=info:H5yLtaSP0jQJ:s cholar.google.com/&hl=en&as_sdt=0,5&sci Ilfp=15204966007289327887&oi=lle
- 128. Liu J, Chen X, Wei R. Socioeconomic drivers of environmental pollution in China: A spatial econometric analysis. Discrete Dynamics in Nature and Society; 2017. Available:https://scholar.google.com/schol ar?output=instlink&q=info:IY-G3qTYKRMJ:scholar.google.com/&hl=en& as_sdt=0,5&scillfp=129497411075892130 88&oi=lle
 120. Mithrath LW, Environmental education for
- 129. Milbrath LW. Environmental education for the 21st century. In Literacy. Routledge. 2012;271–279. Available:https://www.taylorfrancis.com/ch apters/edit/10.4324/9780203052877-18/environmental-education-21st-centurylester-milbrath
- Munyifa Yusuf. Uganda's Perennial Floods Cast the Spotlight on the Region's Climate Change-Related Disasters; 2022. Available:https://reliefweb.int/report/ugand a/ugandas-perennial-floods-cast-spotlightregions-climate-change-related-disasters
- Nataka R. From drought to flooding in the east; 2011. Available:https://reliefweb.int/report/ugand a/drought-flooding-east
- 132. Niklasson M. Problembased Learning in environmental Education. ATEE

Conference in Lisbon; 2003. Available:https://scholar.google.com/schol ar?hl=en&as_sdt=0%2C5&q=problem+bas ed+learning+in+environemntal+education& btnG=#d=gs_cit&t=1703523894555&u=%2 Fscholar%3Fq%3Dinfo%3ATVTsunksSgJ%3Ascholar.google.com%2F%26o utput%3Dcite%26scirp%3D0%26hl%3Den

- Ntona E, Georgopoulos A, Malandrakis G, 133. Ragkou P. Teachers' barriers dealing with programs' education environmental implementation in Greek secondarv schools. Environmental Education Research: 2023. Available:https://scholar.google.com/schol ar?output=instlink&q=info:nQ0JTeXZ7REJ: scholar.google.com/&hl=en&as_sdt=0.5&a s ylo=2023&scillfp=161058449527689620 93&oi=lle
- 134. Obbo-Katandi, G. (2009). The Integration of environmental education into the Primary school science curriculum in Tororo District. Makerere University. Available:http://dspace.mak.ac.ug/bitstrea m/handle/10570/3414/Katandi-CEES-Masters.pdf?sequence=1&isAllowed=y
- 135. Okaka W. An environmental education program: Uganda polytechnic kyambogo. Applied Environmental Education and Communication: An International Journal. 2002;1(1):45–52. Available:https://scholar.google.com/schol ar?output=instlink&q=info:rgf0pFNS984J:s cholar.google.com/&hl=en&as_sdt=0,5&sci llfp=10082486007655147707&oi=lle
 126. Dargan EA, Haga DM, Lawr MA, A.
- 136. Parson EA, Haas PM, Levy MA. A summary of the major documents signed at the Earth Summit and the Global Forum. Environment. 1992;34(8):12. Available:https://search.proquest.com/ope nview/ded12d379df939a2daa1fc4c446932 69/1?pq-origsite=gscholar&cbl=34866
- 137. Paul W. Storm ravages Mbale, leaves 1000 homeless; 2013. Available:https://reliefweb.int/report/ugand a/storm-ravages-mbale-leaves-1000homeless-0
- 138. Pelling M. 6.3 The Rio Earth Summit. The Companion to Development Studies; 2008. Available:https://books.google.com/books? hl=en&Ir=&id=UO3vCiWwxwC&oi=fnd&pg=PA288&dq=the+Earth+S ummit+held+in+Rio+de+Janeiro+in+1992& ots=eb7Nc38bOm&sig=OF6W0xMr0E02_ p66sJay5WBLP40
- 139. Pidduck RJ, Clark DR, Lumpkin GT. Entrepreneurial mindset: Dispositional

beliefs, opportunity beliefs, and entrepreneurial behavior. Journal of Small Business Management. 2023;61(1):45–79. Available:https://scholar.google.com/schol ar?output=instlink&q=info:tTM7I1QR3ZEJ: scholar.google.com/&hl=en&as_sdt=0,5&a s_ylo=2023&scillfp=159595492118649989 45&oi=lle

- 140. Rahmatilah R, Suharyat Y. Implementation of Tatanen Education in Bale Atikan in Establishing the Character of Love for The Country in SMPN 2 Pasawahan Purwakarta District. International Conference on Education; 2023. Available:https://jurnalfaktarbiyah.iainkediri .ac.id/index.php/proceedings/article/downlo ad/1683/630
- 141. Rickinson M. Young children, environmental education and the future. Education and the environment. Taylor and Francis; 2010. Available:https://doi.org/10.1080/13504620

Available:https://doi.org/10.1080/13504620 120065230

142. Rose Hulman Institute of Technology and Carnegie Mellon University. Civil and Environmental Engineering – Academics; 2022.

Available:https://www.rose-hulman. edu/ academics/academic-departments/civiland-environmental-engineering/index.html

- 143. Roux C, Ferreira JG. Enhancing environmental education teaching skills through In-Service Education and Training. Taylor and Francis; 2015. Available:https://doi.org/10.1080/02607470 500043516
- 144. Sefu SA, Mutisya S, Kara A. Factors Influencing Students' Selection of Home Science in Public Secondary Schools. Valley International Journal Digital Library, 1545–1579; 2023.

Available:https://vipublisher.com/index.php /vij/article/download/92/85

145. Seyfang G. Environmental megaconferences—from Stockholm to Johannesburg and beyond. Global Environmental Change. 2003;13(3):223– 228.

Available:https://www.researchgate.net/pro file/Gill-

Seyfang/publication/223553617_Environm ental_Mega-conferences_-

_From_Stockholm_to_Johannesburg_and _Beyond/links/5b0d3253a6fdcc8c2536e1a c/Environmental-Mega-conferences-From-Stockholm-to-Johannesburg-and-Beyond.pdf

- 146. Sra HK. Environmental Awareness of Government and Non-Government College Students of Chandigarh; 2008. Available:https://www.academia.edu/downl oad/67305896/7961.pdf
- 147. Stern MJ, Powell RB, Hill D. Environmental education program evaluation in the new millennium: What do we measure and what have we learned? Environmental Education Research. 2014;20(5):581–611. Available:https://scholar.google.com/schol ar?output=instlink&q=info:CjtQCaAyr2MJ:s cholar.google.com/&hl=en&as_sdt=0,5&sci llfp=15615320961863314343&oi=lle
- 148. Sternad D. Solve It! The Mindset and Tools of Smart Problem Solvers. Econcise; 2021. Available:https://books.google.com/books? hl=en&Ir=&id=s6yYEAAAQBAJ&oi=fnd&pg =PA1&dq=individuals+who+possess+com petence+as+decisionmakers+and+learners+must+cultivate+a+p roblem-

solving+mindset+&ots=mMtHrypJJj&sig=z pwR0T3lHxh5c_X-evStyvojyFc

149. Stone CD. The gnat is older than man: Global environment and human agenda. Princeton University Press; 2023.

Available:https://books.google.com/books? hl=en&lr=&id=ILPiEAAAQBAJ&oi=fnd&pg= PT10&dq=environmental+issues+are+cont inuing+to+threaten+human+life+worldwide +&ots=0ZEPGtrTSF&sig=w0XvonyvJdQ6T 9J9T23UDWhdscU

150. Sumitro SB, Rohman F. Environmental care attitude analysis of prospective biology teachers. Pegem Journal of Education and Instruction. 2023;13(2):72–78.

Available:https://pegegog.net/index.php/pe gegog/article/download/2036/646

- 151. The World Bank Group. Uganda Disaster Risk Profile; 2019. Available:https://documents1.worldbank.or g/curated/en/324521574236798679/pdf/Di saster-Risk-Profile-Uganda.pdf
- 152. Tran Ho U, Lepage BA, Fang WT. Environmental education in pre-school teacher training programs in Vietnam: Situations and challenges. Journal of Early Childhood Teacher Education. 2023;44(4): 703–722.

Available:https://scholar.google.com/schol ar?output=instlink&q=info:n_Q1xvtxmWEJ: scholar.google.com/&hl=en&as_sdt=0,5&a s_ylo=2023&scillfp=429029523269964749 9&oi=lle

- 153. United Nations (UN). Review of implementation of Agenda 21 and the Rio Principles; 2012a. Available:https://sustainabledevelopment.u n.org/content/documents/641Synthesis_re port_Web.pdf
- 154. United Nations (UN). Sustainable Development Goals (SDGs); 2012b. Available:https://unauganda.org/sdgspromotion-and-implementation-in-uganda/
- 155. United Nations (UN). International Forum of national NGO platforms (IFP); 2022. Available:https://sustainabledevelopment.u n.org/index.php?page=view&type=30022& nr=448&menu=3170
- 156. Uralovich KS, Toshmamatovich TU, Kubayevich KF, Sapaev IB, Saylaubaevna SS, Beknazarova ZF, Khurramov A. A primary factor in sustainable development and environmental sustainability is environmental education. Caspian Journal of Environmental Sciences. 2023;21(4): 965–975.

Available:https://cjes.guilan.ac.ir/article_71 55_5eeeb5cb4bfcf1422b5f3ba1ca36ad40. pdf

157. Van Wyk MM, Taole M. Research design. Educational Research: An African Approach, 164–184; 2015.

Available:https://www.researchgate.net/pro file/Micheal-Van-Wyk/post/Selecting-a-Research-Strategy-for-a-Mixed-Methods-Research-

Design/attachment/5ab613f84cde266d589 37824/AS%3A607631739723777%401521 882104884/download/Educational_Resear ch_Chapter+10.pdf

- 158. Zint M. Advancing environmental education program evaluation: Insights from a review of behavioral outcome evaluations. International Handbook of Research on Environmental Education, 298–309; 2013. Available:https://www.taylorfrancis.com/ch apters/edit/10.4324/9780203813331-38/advancing-environmental-educationprogram-evaluation-michaela-zint
- 159. Ardoin NM, Bowers AW, Gaillard E. Environmental education outcomes for

conservation: A systematic review. Biological conservation. 2020;241:108224.

- Shamimu N. Factors influencing adoptation of sustainable soil conservation measures on the agricultural slopes of Mountain Elgon in Bungokho sub county in Mbale district; 2018. Available:https://ir.kiu.ac.ug/bitstream/20.5 00.12306/2515/1/img00476.pdf
- 161. Gedikoglu H, McCann LMJ. Adoption of win-win, environment-oriented, and profit-oriented practices among livestock farmers. Journal of Soil and Water Conservation. 2022;67(3):218– 227. Available:shttps://www.jswconline.org/cont

Available:shttps://www.jswconline.org/cont ent/67/3/218.short

162. Guo S, Zhai L, Liu J, Liu H, Chen A, Wang H, Wu S, Lei Q. Cross-ridge tillage decreases nitrogen and phosphorus losses from sloping farmlands in southern hilly regions of China. Soil and Tillage Research. 2019;191:48– 56.

Available:https://www.sciencedirect.com/sc ience/article/pii/S016719871830504X

- 163. Government of the Republic of Uganda. The Uganda Gazette No. 18, Volume CXIII, dated 20th March, 2020: National Environment (Watste management), Regulations 2020; 2020. Available:https://nema.go.ug/sites/all/them es/nema/docs/National Environment (Waste Management) Regulations S.I. No. 49 of 2020.pdf
- 164. Uganda National Environmental Management Authority (NEMA). From drought to flooding in the east; 2018. Available:https://www.nema.go.ug/new_sit e/
- 165. Government of Uganda. Statement to the parliament on the 11th October landslide disaster in Bududa and progress on resettlement of persons at risk of landslides; 2019. Available:https://www.parliament.go.ug/cmi s/views/4d4dee85-8c85-46f0-a04d-8177970da813%253B1.0

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history: The peer review history for this paper can be accessed here: https://www.sdiarticle5.com/review-history/118198